

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

CSB252
A1145

COTTON QUALITY CROP OF 1997



UNITED STATES DEPARTMENT OF AGRICULTURE

Agricultural Marketing Service - Cotton Programs

Memphis, Tennessee

Vol. 71, No. 7

April 1998

2004 AUG 25 A 10:20
NATL AGRIC LIBRARY
USDA

COTTON QUALITY - UNITED STATES

1997 Crop

Color. The predominant color of upland cotton classed from the 1997 crop was color 31, accounting for 32 percent of classings, according to the USDA, Agricultural Marketing Service, Cotton Programs. Color 31 was predominant in 1996 and made up 38 percent of classings. Color 41 and better made up 76 percent of classings and compares with 75 percent in 1996. All white color grades accounted for 78 percent of the 1997 crop, up slightly from 76 percent in 1996. Light Spotted color grades comprised 20 percent of classings, down from 22 percent in 1996. Spotted color grades made up about 2 percent of classings this season, up slightly from 1 percent a year earlier. Tinged, Stained and Below color grades accounted for less than 1 percent of classings this season, the same as last year.

Leaf. The predominant leaf grade of cotton classed from the 1997 crop was leaf grade 3, accounting for 45 percent of upland classings. Leaf grade 3 was predominant a year earlier making up 52 percent of classings. Leaf grade 4 comprised the next highest percentage from the 1997 crop at 23 percent against 15 percent a year ago. Leaf grade 1-2 made up 25 percent of classings from this year's crop compared with 30 percent in 1996. Leaf grade 5-7 made up about 7 percent of classings, up from 3 percent last year.

Staple. The average staple length of upland cotton classed from the 1997 crop was 35.1 thirty-seconds inches, down slightly from 35.2 a year ago. The predominant staple lengths were 35 and 36, each making up about 24 percent of classings. Staple 35 was the predominant length last year, accounting for 32 percent of classings. Staples 31 and shorter comprised 1 percent of classings this season, the same as in 1996. Staples 32 and 33, at 13 percent, was up from 8 percent the previous year. Staples 34 and 35 made up 43 percent of the crop, down from 50 percent last year. Staples 36 and longer accounted for 44 percent of classings, up from 42 percent the previous year.

Mike. The average mike of upland cotton classed from the 1997 crop was 43, the same as last year. Cotton with mike 34 and lower made up 5 percent of classings against 8 percent in 1996. Cotton in the 35 to 49 range, at 88 percent, was up from 81 percent a year ago. Cotton with mike 50 and higher made up 7 percent, down from 11 percent in 1996.

Strength. The average fiber strength of upland cotton classed from the 1997 crop was 28.9 grams per tex compared with 28.4 in 1996. Strengths in the 19 and lower range accounted for less than 1 percent of classings, the same as last year. Less than 1 percent of classings had strengths in the 20 to 23 range, compared with about 1 percent the previous year. Cotton with strengths of 24 to 27 grams per tex accounted for 23 percent of classings against 38 percent a year ago. Strengths in the 28 and higher range comprised 76 percent of classings, up from 61 percent a year ago.

American Pima cotton classed from the 1997 crop contained a larger proportion of higher grades and longer staples than last year. Grades 3 and better made up 97 percent of classings this season, up from 91 percent last year. Grade 2 was the predominant grade both years, accounting for 74 and 64 percent in 1997 and 1996, respectively. Grades 4 and lower comprised 3 percent of classings against 9 percent a year ago. The average staple length was 45.7 thirty-seconds inches compared with 45.9 last year. Staple 46 was the predominant length, comprising 74 percent of classings this season and 70 percent in 1996. Average mike was 40, the same as last year. Average fiber strength was 37.9 grams per tex, the same as the previous year.

Ginnings of 1997-crop cotton in the United States totaled 18,301,500 running bales, according to a preliminary report by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 17,770,300 bales of upland and 531,200 bales of American Pima cotton. The number of active cotton gins for crop year 1997 was 1,155 compared with 1,214 in 1996.

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed, 1996 crop.

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	9	18	151	1,648	12,340	44,328	121,283	295,755	475,532
	3	6	10	46	401	3,733	20,302	78,647	217,082	320,227
	4	-	-	4	44	343	2,446	9,819	25,811	38,467
	5	-	-	-	2	32	218	845	1,340	2,437
	6	-	-	-	-	3	20	43	40	106
	7	-	-	-	-	1	1	2	4	8
	TOTAL-----	15	28	201	2,095	16,452	67,315	210,639	540,032	836,777
31	1-2	-	1	83	831	5,513	21,914	115,685	432,816	576,843
	3	6	12	125	1,164	7,141	30,530	146,937	581,167	767,082
	4	3	10	95	638	4,131	20,694	68,451	155,848	249,870
	5	2	7	40	365	2,054	11,889	35,557	51,211	101,125
	6	1	-	4	63	374	2,086	6,562	7,250	16,340
	7	-	-	-	2	21	62	289	248	622
	TOTAL-----	12	30	347	3,063	19,234	87,175	373,481	1,228,540	1,711,882
41	1-2	-	1	11	99	655	3,467	23,794	99,666	127,693
	3	-	2	21	176	1,128	5,984	55,171	318,985	381,467
	4	1	1	11	123	807	3,676	18,185	83,088	105,892
	5	-	-	15	79	484	1,902	5,422	11,793	19,695
	6	-	-	2	52	259	1,113	3,162	4,186	8,774
	7	-	-	1	17	27	221	647	710	1,623
	TOTAL-----	1	4	61	546	3,360	16,363	106,381	518,428	645,144
51	1-2	-	-	3	21	120	685	3,467	8,951	13,247
	3	-	-	4	29	222	1,307	7,264	23,634	32,460
	4	-	-	-	27	203	913	3,900	11,565	16,608
	5	-	-	3	15	130	402	1,155	2,905	4,610
	6	-	-	2	4	55	143	239	376	819
	7	-	-	-	1	6	8	29	59	103
	TOTAL-----	-	-	12	97	736	3,458	16,054	47,490	67,847
61	1-2	-	-	-	2	18	188	660	842	1,710
	3	-	-	1	3	21	220	879	1,220	2,344
	4	-	-	-	3	2	29	235	437	706
	5	-	-	-	-	1	7	52	147	207
	6	-	-	-	-	2	3	18	54	77
	7	-	-	-	-	1	1	4	9	15
	TOTAL-----	-	-	1	8	45	448	1,848	2,709	5,059
71	1-2	-	-	-	-	6	17	84	51	158
	3	-	-	-	-	3	11	23	29	66
	4	-	-	-	-	-	-	4	7	11
	5	-	-	-	-	-	-	1	-	1
	6	-	-	-	-	-	-	-	2	2
	7	-	-	-	-	-	-	-	1	1
	TOTAL-----	-	-	-	-	9	28	112	90	239
12 & 22	1-2	-	5	82	654	3,902	11,541	21,153	41,052	78,389
	3	3	4	56	491	2,813	12,683	34,462	62,986	113,498
	4	1	1	10	74	603	3,003	8,364	13,686	25,742
	5	-	-	2	13	124	606	1,559	1,779	4,083
	6	-	-	-	3	12	39	103	71	228
	7	-	-	-	-	-	1	-	1	2
	TOTAL-----	4	10	150	1,235	7,454	27,873	65,641	119,575	221,942
32	1-2	-	1	46	295	1,630	5,411	22,300	68,158	97,841
	3	1	5	78	742	3,543	12,018	52,026	186,752	255,165
	4	1	2	41	442	2,167	8,312	23,453	56,780	91,198
	5	-	1	26	239	1,451	5,628	12,605	16,111	36,061
	6	1	1	11	106	525	1,538	3,425	3,412	9,019
	7	-	-	1	9	31	82	208	190	521
	TOTAL-----	3	10	203	1,833	9,347	32,989	114,017	331,403	489,805
42	1-2	-	7	49	235	1,162	3,881	13,060	34,690	53,084
	3	-	13	95	650	2,638	7,955	41,894	176,857	230,102
	4	-	6	60	425	1,686	4,788	19,518	74,655	101,138
	5	-	-	23	193	856	1,983	5,143	12,554	20,752
	6	-	-	7	80	335	814	1,705	2,727	5,668
	7	-	-	1	11	57	190	412	579	1,250
	TOTAL-----	-	26	235	1,594	6,734	19,611	81,732	302,062	411,994
52	1-2	-	9	64	265	909	2,588	6,710	10,329	20,874
	3	-	8	73	424	1,423	4,370	16,407	44,117	66,822
	4	-	2	49	324	942	1,937	6,665	19,412	29,331
	5	-	3	26	189	665	1,164	2,046	3,796	7,889
	6	-	6	21	102	370	483	613	649	2,244
	7	-	1	3	31	186	103	121	141	586
	TOTAL-----	-	29	236	1,335	4,495	10,645	32,562	78,444	127,746

Table 1. -- United States: Continued.

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	5	58	275	927	2,003	1,431	4,699
	3	-	1	3	26	158	1,029	3,409	3,889	8,515
	4	-	-	1	14	50	262	1,009	1,386	2,722
	5	-	-	1	4	10	46	194	317	572
	6	-	-	-	-	4	12	31	60	107
	7	-	-	-	-	4	2	7	15	28
TOTAL----		-	1	10	102	501	2,278	6,653	7,098	16,643
13 & 23	1-2	-	2	8	67	200	505	646	1,098	2,526
	3	-	1	12	29	106	477	766	973	2,364
	4	-	-	1	4	26	85	149	139	404
	5	-	-	-	-	3	14	28	13	58
	6	-	-	-	-	-	1	2	1	4
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	3	21	100	335	1,082	1,591	2,224	5,356
33	1-2	-	3	1	22	97	250	938	2,171	3,482
	3	1	14	26	82	275	870	2,269	5,428	8,965
	4	-	4	9	44	203	642	1,248	1,850	4,000
	5	-	-	2	19	122	340	650	617	1,750
	6	-	-	2	10	31	104	159	137	443
	7	-	-	-	-	2	3	11	9	25
TOTAL----		1	21	40	177	730	2,209	5,275	10,212	18,665
43	1-2	-	-	4	16	56	191	853	1,738	2,858
	3	-	1	13	59	153	506	2,556	8,453	11,741
	4	-	3	12	59	136	480	1,575	4,236	6,501
	5	-	1	10	38	110	282	620	1,030	2,091
	6	-	3	15	29	60	98	281	376	862
	7	-	-	-	10	17	26	72	101	226
TOTAL----		-	8	54	211	532	1,583	5,957	15,934	24,279
53	1-2	-	-	8	81	172	508	1,125	1,487	3,381
	3	-	-	13	97	255	863	3,335	7,467	12,030
	4	-	-	5	34	103	301	1,556	3,742	5,741
	5	-	1	3	17	46	195	421	766	1,449
	6	-	-	-	7	26	62	65	86	246
	7	-	-	2	3	7	8	17	19	56
TOTAL----		-	1	31	239	609	1,937	6,519	13,567	22,903
63	1-2	-	1	6	21	78	237	614	479	1,436
	3	-	-	5	23	101	569	2,259	2,407	5,364
	4	-	-	1	11	24	202	839	1,332	2,409
	5	-	-	-	2	5	46	176	224	453
	6	-	-	-	1	5	8	46	36	96
	7	-	-	-	-	1	2	3	2	8
TOTAL----		-	1	12	58	214	1,064	3,937	4,480	9,766
24-54	1-7	-	3	49	189	422	753	1,804	2,914	6,134
25-35	1-7	-	-	-	-	7	25	56	16	104
81-85 1/	1-7	2	1	5	14	90	298	628	547	1,585
	8 2/	-	-	2	12	58	111	276	347	806
TOTAL, ALL----		38	176	1,670	12,908	71,364	277,245	1,035,163	3,226,112	4,624,676

Table 1. -- United States: Continued.

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 & +	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	470,165	676,466	433,728	30,825	3,461	317	1,614,962	2,090,494
	3	252,212	214,696	214,228	21,518	2,308	264	705,226	1,025,453
	4	31,892	14,112	11,141	1,739	230	33	59,147	97,614
	5	1,444	634	298	88	16	3	2,483	4,920
	6	26	15	15	11	-	-	67	173
	7	4	1	2	-	-	-	7	15
	TOTAL-----	755,743	905,924	659,412	54,181	6,015	617	2,381,892	3,218,669
31	1-2	757,997	540,482	191,574	11,176	1,313	87	1,502,629	2,079,472
	3	1,190,558	1,038,680	522,531	42,125	3,645	226	2,797,765	3,564,847
	4	215,214	162,676	129,579	20,639	1,700	136	529,944	779,814
	5	46,810	19,784	9,935	2,526	296	35	79,386	180,511
	6	4,574	1,685	662	266	27	3	7,217	23,557
	7	100	56	28	30	2	-	216	838
	TOTAL-----	2,215,253	1,763,363	854,309	76,762	6,983	487	4,917,157	6,629,039
41	1-2	172,739	107,707	30,219	1,287	30	5	311,987	439,680
	3	787,334	683,172	264,352	17,007	416	22	1,752,303	2,133,770
	4	225,437	248,909	140,403	15,656	728	60	631,193	737,085
	5	21,008	22,853	16,958	3,286	246	32	64,383	84,078
	6	3,312	2,030	1,579	356	18	2	7,297	16,071
	7	515	228	128	34	2	-	907	2,530
	TOTAL-----	1,210,345	1,064,899	453,639	37,626	1,440	121	2,768,070	3,413,214
51	1-2	9,997	6,856	4,080	411	9	1	21,354	34,601
	3	36,081	27,712	20,945	3,654	134	11	88,537	120,997
	4	16,202	12,467	12,055	3,321	167	15	44,227	60,835
	5	3,653	2,468	2,524	842	42	3	9,532	14,142
	6	344	255	274	98	9	1	981	1,800
	7	59	46	39	15	-	-	159	262
	TOTAL-----	66,336	49,804	39,917	8,341	361	31	164,790	232,637
61	1-2	537	857	982	118	-	-	2,494	4,204
	3	961	1,367	1,897	430	9	-	4,664	7,008
	4	485	535	669	167	9	-	1,865	2,571
	5	170	164	273	82	1	-	690	897
	6	54	54	77	32	-	-	217	294
	7	3	5	12	4	-	-	24	39
	TOTAL-----	2,210	2,982	3,910	833	19	-	9,954	15,013
71	1-2	19	23	23	2	-	-	67	225
	3	81	157	139	12	-	-	389	455
	4	38	115	107	11	-	-	271	282
	5	16	49	46	2	-	-	113	114
	6	-	12	28	1	-	-	41	43
	7	2	7	8	-	-	-	17	18
	TOTAL-----	156	363	351	28	-	-	898	1,137
12 & 22	1-2	54,601	42,634	19,134	1,865	371	608	119,213	197,602
	3	61,827	36,148	16,799	1,851	533	73	117,231	230,729
	4	12,970	5,674	1,867	196	57	8	20,772	46,514
	5	1,377	553	166	20	4	2	2,122	6,205
	6	39	17	4	1	-	-	61	289
	7	-	1	-	-	-	-	1	3
	TOTAL-----	130,814	85,027	37,970	3,933	965	691	259,400	481,342
32	1-2	99,729	60,617	21,393	1,375	203	442	183,759	281,600
	3	335,117	249,076	105,684	8,720	1,060	164	699,821	954,986
	4	91,200	68,659	32,303	3,857	651	67	196,737	287,935
	5	15,588	8,581	3,494	600	129	17	28,409	64,470
	6	2,177	772	353	52	1	-	3,355	12,374
	7	115	49	16	19	-	-	199	720
	TOTAL-----	543,926	387,754	163,243	14,623	2,044	690	1,112,280	1,602,085
42	1-2	46,543	22,385	4,890	175	4	8	74,005	127,089
	3	341,563	224,110	62,998	2,968	99	1	631,739	861,841
	4	158,087	133,452	50,753	3,611	144	8	346,055	447,193
	5	19,111	15,758	7,538	1,029	57	4	43,497	64,249
	6	2,607	1,646	882	164	10	1	5,310	10,978
	7	419	219	127	13	3	-	781	2,031
	TOTAL-----	568,330	397,570	127,188	7,960	317	22	1,101,387	1,513,381
52	1-2	7,868	3,081	550	41	3	-	11,543	32,417
	3	61,767	33,513	7,046	428	24	-	102,778	169,600
	4	32,604	22,381	6,705	362	37	3	62,092	91,423
	5	4,469	2,924	1,316	166	4	-	8,879	16,768
	6	553	374	218	42	-	-	1,187	3,431
	7	130	73	66	14	1	-	284	870
	TOTAL-----	107,391	62,346	15,901	1,053	69	3	186,763	314,509

Table 1. -- United States: Continued.

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 & +	35 to 40+	TOTAL
62	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	3	436	108	50	11	—	—	605	5,304
	4	2,440	1,040	465	60	3	—	4,008	12,523
	5	1,231	767	405	50	—	—	2,453	5,175
	6	252	225	213	41	—	—	731	1,303
	7	45	78	79	18	—	—	220	327
	7	10	10	12	3	—	—	35	63
TOTAL-----		4,414	2,228	1,224	183	3	—	8,052	24,695
13 & 23	1-2	1,478	1,268	748	56	13	4	3,567	6,093
	3	1,083	883	720	55	5	1	2,747	5,111
	4	86	46	44	4	—	—	180	584
	5	5	4	1	—	—	—	10	68
	6	2	—	—	—	—	—	2	6
	7	—	—	—	—	—	—	—	—
	7	—	—	—	—	—	—	—	—
TOTAL-----		2,654	2,201	1,513	115	18	5	6,506	11,862
33	1-2	3,277	2,641	1,704	148	8	6	7,784	11,266
	3	8,690	7,628	5,531	597	31	9	22,486	31,451
	4	2,255	1,498	908	227	23	—	4,911	8,911
	5	367	246	111	36	2	—	762	2,512
	6	49	43	6	4	—	1	103	546
	7	5	2	1	1	—	—	9	34
	7	—	—	—	—	—	—	—	—
TOTAL-----		14,643	12,058	8,261	1,013	64	16	36,055	54,720
43	1-2	2,148	1,294	577	33	2	1	4,055	6,913
	3	13,097	9,268	4,534	492	10	3	27,404	39,145
	4	6,321	4,479	2,426	447	16	3	13,692	20,193
	5	1,156	877	509	116	4	2	2,664	4,755
	6	308	172	96	34	—	—	610	1,472
	7	72	34	12	—	—	—	118	344
	7	—	—	—	—	—	—	—	—
TOTAL-----		23,102	16,124	8,154	1,122	32	9	48,543	72,822
53	1-2	1,309	578	147	8	—	—	2,042	5,423
	3	8,671	4,223	1,211	133	4	—	14,242	26,272
	4	4,768	2,512	924	112	3	—	8,319	14,060
	5	764	519	376	96	1	—	1,756	3,205
	6	63	92	69	14	—	1	239	485
	7	25	11	15	4	—	—	55	111
	7	—	—	—	—	—	—	—	—
TOTAL-----		15,600	7,935	2,742	367	8	1	26,653	49,556
63	1-2	155	43	7	1	—	—	206	1,642
	3	1,487	556	149	15	—	—	2,207	7,571
	4	1,023	409	144	17	—	—	1,593	4,002
	5	170	116	78	11	1	—	376	829
	6	26	54	64	12	—	—	156	252
	7	—	2	5	—	—	—	7	15
	7	—	—	—	—	—	—	—	—
TOTAL-----		2,861	1,180	447	56	1	—	4,545	14,311
24-54	1-7	3,557	3,182	2,566	308	24	6	9,643	15,777
25-35	1-7	8	5	3	—	—	—	16	120
81-85 1/	1-7	513	537	340	—	3	4	1,397	2,982
	8 2/	267	159	71	26	—	—	523	1,329
TOTAL, ALL-----		5,668,123	4,765,641	2,381,161	208,559	18,366	2,703	13,044,553	17,669,229
EXTRANEEOUS MATTER									Average Staple ----- 35.2
Bark - Level 1		1,084,759							Percent Tenderable ----- 64.9
Bark - Level 2		1,085							
Grass - Level 1		266,075							
Grass - Level 2		2,919							
Prep - Level 1		51,600							
Prep - Level 2		160							
Other - Level 1		9,363							
Other - Level 2		80							

17,669,229 Bales classed including 772 bales from Kansas. 1/ Below Color. 2/ Below Leaf.

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE								
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	-	38	693	4,871	28,460	99,545	248,072	387,173	768,852
	3	-	8	198	2,040	14,124	58,528	170,828	268,941	514,667
	4	-	2	27	365	2,743	12,960	37,978	61,172	115,247
	5	-	-	1	35	394	2,056	4,947	6,263	13,696
	6	-	-	-	-	31	160	288	242	721
	7	-	-	-	-	-	6	19	9	34
TOTAL-----		-	48	919	7,311	45,752	173,255	462,132	723,800	1,413,217
31	1-2	-	11	93	676	3,871	15,921	60,314	167,342	248,228
	3	-	12	201	1,431	10,339	44,837	149,976	339,708	546,504
	4	-	9	119	1,077	8,722	41,919	122,972	207,597	382,415
	5	-	8	55	496	5,400	28,704	75,370	104,794	214,827
	6	-	-	14	110	1,546	9,236	19,936	21,037	51,879
	7	-	-	3	11	152	1,103	2,135	1,371	4,775
TOTAL-----		-	40	485	3,801	30,030	141,720	430,703	841,849	1,448,828
41	1-2	-	-	7	27	333	3,687	26,042	66,088	96,184
	3	-	2	10	86	966	10,742	107,882	368,584	488,272
	4	-	2	14	68	739	4,461	30,706	132,425	168,415
	5	-	1	2	111	982	4,443	12,303	22,992	40,834
	6	-	-	8	70	712	3,934	9,159	10,370	24,253
	7	-	-	3	14	250	1,575	3,293	2,590	7,725
TOTAL-----		-	5	44	376	3,982	28,842	189,385	603,049	825,683
51	1-2	-	-	-	4	120	1,304	6,343	9,534	17,305
	3	-	-	2	25	319	4,311	29,396	67,113	101,166
	4	-	-	1	9	123	1,340	10,173	32,628	44,274
	5	-	1	-	3	29	283	1,954	7,288	9,558
	6	-	-	2	-	31	107	464	1,115	1,719
	7	-	-	-	-	8	82	242	328	660
TOTAL-----		-	1	5	41	630	7,427	48,572	118,006	174,682
61	1-2	-	-	-	2	27	96	280	271	676
	3	-	-	-	1	30	346	1,254	1,555	3,186
	4	-	-	-	-	6	102	523	979	1,610
	5	-	-	-	3	4	22	111	414	554
	6	-	-	-	-	2	4	47	193	246
	7	-	-	-	-	-	-	5	20	25
TOTAL-----		-	-	-	6	69	570	2,220	3,432	6,297
71	1-2	-	-	-	-	1	5	1	3	10
	3	-	-	-	1	4	14	44	27	90
	4	-	-	-	-	1	9	30	21	61
	5	-	-	-	-	-	2	11	7	20
	6	-	-	-	-	-	1	1	2	4
	7	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	1	6	31	87	60	185
12 & 22	1-2	-	33	816	4,324	12,995	24,835	53,412	72,269	168,684
	3	-	28	298	2,366	10,636	31,312	77,642	107,678	229,960
	4	-	1	41	455	2,561	9,346	22,868	32,943	68,215
	5	-	-	5	52	406	1,789	3,932	4,831	11,015
	6	-	-	-	4	35	144	241	253	677
	7	-	-	-	-	1	9	11	9	30
TOTAL-----		-	62	1,160	7,201	26,634	67,435	158,106	217,983	478,581
32	1-2	-	15	222	924	2,657	4,975	10,484	18,702	37,979
	3	-	31	298	1,974	8,351	24,199	60,833	108,445	204,131
	4	-	9	124	947	5,449	20,111	51,766	83,765	162,171
	5	-	3	45	430	3,291	13,991	32,658	45,133	95,551
	6	-	1	4	79	785	3,969	7,936	8,792	21,566
	7	-	-	2	8	64	500	850	658	2,082
TOTAL-----		-	59	695	4,362	20,597	67,745	164,527	265,495	523,480
42	1-2	-	-	3	31	320	2,139	9,019	15,962	27,474
	3	-	1	16	143	1,300	10,312	64,642	165,842	242,256
	4	-	2	16	111	792	4,594	28,418	97,129	131,062
	5	-	2	10	136	846	3,260	9,621	19,779	33,654
	6	-	-	12	61	527	2,436	5,828	7,633	16,497
	7	-	-	1	25	161	955	2,260	2,101	5,503
TOTAL-----		-	5	58	507	3,946	23,696	119,788	308,446	456,446
52	1-2	-	-	2	14	229	1,712	5,167	6,946	14,070
	3	-	-	2	81	959	7,521	32,392	58,966	99,921
	4	-	-	1	22	346	3,316	16,421	38,665	58,771
	5	-	-	1	5	84	621	3,138	7,295	11,144
	6	-	-	-	2	45	259	1,080	1,483	2,869
	7	-	-	-	1	20	171	540	619	1,351
TOTAL-----		-	-	6	125	1,683	13,600	58,738	113,974	188,126

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	7	93	311	475	401	1,287
	3	-	-	-	7	286	1,501	3,291	2,905	7,990
	4	-	-	-	4	79	617	1,858	2,243	4,801
	5	-	-	-	3	11	80	350	705	1,149
	6	-	-	-	1	6	30	82	142	261
	7	-	-	-	-	2	7	17	46	72
TOTAL----		-	-	-	22	477	2,546	6,073	6,442	15,560
13 & 23	1-2	-	4	90	501	1,425	2,858	7,692	12,589	25,159
	3	-	2	27	201	924	2,572	7,632	11,876	23,234
	4	-	-	1	23	174	591	1,600	2,415	4,804
	5	-	-	-	2	31	129	211	307	680
	6	-	-	-	-	-	5	10	13	28
	7	-	-	-	-	-	1	1	2	4
TOTAL----		-	6	118	727	2,554	6,156	17,146	27,202	53,909
33	1-2	-	8	130	443	1,273	1,647	2,360	3,915	9,776
	3	-	9	110	570	2,213	4,361	8,640	13,825	29,728
	4	-	37	79	124	712	2,325	5,283	8,610	17,170
	5	-	-	7	39	282	1,193	2,608	3,444	7,573
	6	-	-	-	1	43	299	509	513	1,365
	7	-	-	-	-	6	29	63	38	136
TOTAL----		-	54	326	1,177	4,529	9,854	19,463	30,345	65,748
43	1-2	-	-	6	27	66	237	727	1,370	2,433
	3	-	3	23	122	390	1,079	3,921	8,710	14,248
	4	-	6	28	43	247	782	2,528	6,227	9,861
	5	-	-	7	36	145	570	1,422	2,289	4,469
	6	-	-	2	7	72	317	860	1,080	2,338
	7	-	-	2	1	31	149	391	349	923
TOTAL----		-	9	68	236	951	3,134	9,849	20,025	34,272
53	1-2	-	-	1	6	28	180	573	785	1,573
	3	-	-	-	12	129	825	3,168	5,138	9,272
	4	-	1	-	5	78	505	1,765	3,550	5,905
	5	-	-	1	4	36	130	523	964	1,658
	6	-	-	-	2	12	69	187	265	535
	7	-	-	1	3	4	37	110	137	292
TOTAL----		-	1	3	33	287	1,746	6,326	10,839	19,235
63	1-2	-	-	-	2	17	42	66	44	171
	3	-	-	-	5	77	245	437	409	1,173
	4	-	-	-	2	32	153	314	376	877
	5	-	-	-	1	4	37	137	172	351
	6	-	-	-	-	-	6	33	54	93
	7	-	-	-	-	-	1	5	20	26
TOTAL----		-	-	-	10	130	484	992	1,075	2,691
24-54	1-7	-	9	135	568	1,867	3,763	7,196	11,813	25,351
25-35	1-7	-	-	2	24	69	200	203	127	625
81-85 1/	1-7	-	-	3	35	214	423	621	543	1,839
	8 2/	-	-	1	7	91	872	2,037	1,659	4,667
TOTAL, ALL----		-	299	4,028	26,570	144,498	553,499	1,704,164	3,306,164	5,739,222

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 & +	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	523,513	704,883	488,346	35,291	984	129	1,753,146	2,521,998
	3	214,655	267,591	289,530	36,464	1,068	37	809,345	1,324,012
	4	37,433	23,389	28,509	5,076	172	2	94,581	209,828
	5	3,882	1,471	1,462	364	21	-	7,200	20,896
	6	128	44	67	15	5	-	259	980
	7	5	6	2	-	-	-	13	47
TOTAL ----		779,616	997,384	807,916	77,210	2,250	168	2,664,544	4,077,761
31	1-2	314,309	311,431	177,405	13,497	350	44	817,036	1,065,264
	3	629,103	860,188	744,552	90,034	1,857	61	2,325,795	2,872,299
	4	243,240	325,153	285,292	43,758	1,281	35	898,759	1,281,174
	5	70,686	50,567	33,208	5,193	373	4	160,031	374,858
	6	11,749	4,340	1,967	393	43	2	18,494	70,373
	7	505	159	105	25	2	-	796	5,571
TOTAL ----		1,269,592	1,551,838	1,242,529	152,900	3,906	146	4,220,911	5,669,539
41	1-2	75,613	42,808	15,986	1,187	33	1	135,628	231,812
	3	575,065	440,900	258,942	29,015	564	18	1,304,504	1,792,776
	4	321,662	404,464	309,520	46,008	1,116	42	1,082,812	1,251,227
	5	48,082	81,003	61,423	9,180	302	13	200,003	240,837
	6	7,842	7,249	4,511	620	39	-	20,261	44,514
	7	1,482	530	225	71	3	-	2,311	10,036
TOTAL ----		1,029,746	976,954	650,607	86,081	2,057	74	2,745,519	3,571,202
51	1-2	6,963	2,529	650	51	-	-	10,193	27,498
	3	71,192	34,144	9,598	665	8	-	115,607	216,773
	4	49,190	34,007	13,929	1,599	57	2	98,784	143,058
	5	14,833	14,154	7,641	1,010	48	2	37,688	47,246
	6	1,830	1,634	898	114	2	-	4,478	6,197
	7	230	93	65	7	1	-	396	1,056
TOTAL ----		144,238	86,561	32,781	3,446	116	4	267,146	441,828
61	1-2	113	38	20	1	-	-	172	848
	3	948	351	138	4	-	-	1,441	4,627
	4	982	474	126	12	-	-	1,594	3,204
	5	711	543	210	16	-	-	1,480	2,034
	6	344	233	99	11	2	-	689	935
	7	45	29	18	2	1	-	95	120
TOTAL ----		3,143	1,668	611	46	3	-	5,471	11,768
71	1-2	-	-	-	-	-	-	-	10
	3	9	5	3	-	-	-	17	107
	4	14	6	-	-	-	-	20	81
	5	4	2	3	-	-	-	9	29
	6	5	2	2	-	-	-	9	13
	7	-	-	2	-	-	-	2	2
TOTAL ----		32	15	10	-	-	-	57	242
12 & 22	1-2	55,557	37,358	17,082	1,287	126	730	112,140	280,824
	3	66,022	31,994	14,360	1,415	95	4	113,890	343,850
	4	19,527	7,150	3,032	303	31	1	30,044	98,259
	5	2,865	888	304	46	8	-	4,111	15,126
	6	128	39	17	5	-	-	189	866
	7	5	4	1	-	-	-	10	40
TOTAL ----		144,104	77,433	34,796	3,056	260	735	260,384	738,965
32	1-2	22,322	18,553	9,109	701	55	159	50,899	88,878
	3	128,954	114,274	76,530	9,569	314	29	329,670	533,801
	4	83,518	75,772	49,909	7,525	411	14	217,149	379,320
	5	31,229	19,080	11,495	1,585	163	2	63,554	159,105
	6	5,341	1,782	778	131	15	-	8,047	29,613
	7	333	131	53	8	13	-	538	2,620
TOTAL ----		271,697	229,592	147,874	19,519	971	204	669,857	1,193,337
42	1-2	12,347	4,866	1,397	98	2	5	18,715	46,189
	3	184,928	88,284	26,251	2,008	60	6	301,537	543,793
	4	152,353	104,388	44,980	5,149	242	6	307,118	438,180
	5	26,650	24,770	14,118	1,848	99	11	67,496	101,150
	6	5,560	3,331	1,826	234	9	5	10,965	27,462
	7	1,151	327	129	25	2	-	1,634	7,137
TOTAL ----		382,989	225,966	88,701	9,362	414	33	707,465	1,163,911
52	1-2	3,320	655	123	10	1	-	4,109	18,179
	3	44,598	14,385	2,518	94	1	-	61,596	161,517
	4	38,684	16,518	4,158	270	7	-	59,637	118,408
	5	8,383	4,776	1,885	205	20	-	15,269	26,413
	6	1,396	713	392	49	6	-	2,556	5,425
	7	351	122	74	10	-	1	558	1,909
TOTAL ----		96,732	37,169	9,150	638	35	1	143,725	331,851

Table 2. -- United States: Continued.

QUALITY		STAPLE							
COLOR	LEAF	35	36	37	38	39	40 & +	35 to 40+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	100	25	6	1	-	-	132	1,419
	3	1,044	220	47	-	1	-	1,312	9,302
	4	1,046	275	81	4	1	-	1,407	6,208
	5	409	142	58	9	-	-	618	1,767
	6	146	57	46	6	1	-	256	517
	7	18	8	11	2	-	-	39	111
TOTAL-----		2,763	727	249	22	3	-	3,764	19,324
13 & 23	1-2	8,577	4,578	1,550	89	6	3	14,803	39,962
	3	7,088	2,957	1,060	80	7	-	11,192	34,426
	4	1,451	459	123	2	1	-	2,036	6,840
	5	221	50	15	1	-	-	287	967
	6	13	-	1	-	-	-	14	42
	7	2	-	-	-	-	-	2	6
TOTAL-----		17,352	8,044	2,749	172	14	3	28,334	82,243
33	1-2	3,121	2,140	1,075	68	3	4	6,411	16,187
	3	11,619	7,460	4,226	459	22	2	23,788	53,516
	4	6,692	3,596	1,745	224	15	-	12,272	29,442
	5	2,370	951	381	50	8	-	3,760	11,333
	6	349	129	51	5	2	-	536	1,901
	7	38	12	7	1	-	-	58	194
TOTAL-----		24,189	14,288	7,485	807	50	6	46,825	112,573
43	1-2	1,136	489	167	12	-	-	1,804	4,237
	3	9,322	5,215	2,081	207	17	6	16,848	31,096
	4	7,911	5,423	2,494	339	81	7	16,255	26,116
	5	2,267	1,370	747	109	37	5	4,535	9,004
	6	889	335	158	31	9	8	1,430	3,768
	7	189	57	33	5	1	1	286	1,209
TOTAL-----		21,714	12,889	5,680	703	145	27	41,158	75,430
53	1-2	384	93	25	-	-	-	502	2,075
	3	3,286	1,139	275	23	-	-	4,723	13,995
	4	3,146	1,458	517	39	4	1	5,165	11,070
	5	879	451	208	38	15	-	1,591	3,249
	6	216	102	58	22	6	3	407	942
	7	73	21	12	5	-	-	111	403
TOTAL-----		7,984	3,264	1,095	127	25	4	12,499	31,734
63	1-2	13	5	2	-	-	-	20	191
	3	135	42	22	4	1	-	204	1,377
	4	175	74	23	-	2	-	274	1,151
	5	94	40	19	3	-	-	156	507
	6	24	20	21	5	1	-	71	164
	7	3	3	7	4	-	1	18	44
TOTAL-----		444	184	94	16	4	1	743	3,434
24-54	1-7	9,509	4,532	1,784	222	66	19	16,132	41,483
25-35	1-7	126	52	16	2	-	-	196	821
81-85 1/	1-7	324	187	116	-	4	-	631	2,470
	8 2/	787	232	167	28	7	-	1,221	5,888
TOTAL, ALL-----		4,207,081	4,228,979	3,034,410	354,393	10,330	1,425	11,836,618	17,575,840
EXTRANEEOUS MATTER		Average Staple -----							35.1
		Percent Tenderable -----							68.5
Bark - Level 1		1,125,540							
Bark - Level 2		2,481							
Grass - Level 1		190,052							
Grass - Level 2		2,943							
Prep - Level 1		45,516							
Prep - Level 2		305							
Other - Level 1		9,118							
Other - Level 2		79							

17,575,840 Bales classed including 5,562 bales from Kansas. 1/ Below Color. 2/ Below Leaf.

Table 3. -- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 1997 crop.

State	Extraneous Matter											
	Preparation		Bark		Grass		Seed		Oil		Spindle Twist	
	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2
	Bales		Bales		Bales		Bales		Bales		Bales	
Alabama	3,934	0	20,703	12	5,350	11	1	0	2	1	1	1
Arizona	601	5	67,078	1,430	15,211	438	1,787	24	34	3	48	0
Arkansas	2,429	0	14,039	55	8,639	40	4	0	9	0	6	0
California	2,504	86	6,258	46	29,345	232	358	7	28	1	336	1
Florida	873	1	8,180	0	769	0	0	0	0	0	0	0
Georgia	23,447	87	30,342	0	14,188	17	11	2	4	0	31	1
Louisiana	510	5	2,885	10	14,700	174	4	1	7	2	6	0
Mississippi	2,921	8	20,417	97	11,174	92	25	7	28	0	0	0
Missouri	159	0	2,193	7	3,524	4	0	0	4	0	0	0
New Mexico	60	2	1,888	2	492	2	21	0	0	0	0	0
North Carolina	1,423	4	16,586	63	29,924	188	0	0	0	0	0	0
Oklahoma	83	0	31,629	45	186	30	0	0	6	0	0	0
South Carolina	1,862	2	7,922	5	8,140	23	0	0	0	0	0	0
Tennessee	894	3	8,583	29	6,339	34	2	0	7	0	0	0
Texas	3,603	101	879,830	679	37,953	1,648	615	3	126	7	65	1
Virginia	213	1	2,121	1	4,117	10	0	0	0	0	0	0
United States 1/	45,516	305	1,125,540	2,481	190,052	2,943	2,828	44	256	14	493	4
											5,515	16
											1,370,200	5,807

1/ Includes Kansas.

Table 4. -- Tenderability of upland cotton classed, by states, 1997 crop.

State	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	368,811	70.2	156,393	29.8
Arizona	504,522	62.2	306,955	37.8
Arkansas	1,311,371	80.6	315,801	19.4
California	1,867,151	94.1	117,268	5.9
Florida	84,876	74.0	29,854	26.0
Georgia	899,774	47.9	979,668	52.1
Louisiana	747,953	74.6	254,045	25.4
Mississippi	1,416,166	80.0	353,721	20.0
Missouri	460,231	84.2	86,493	15.8
New Mexico	55,459	79.8	14,025	20.2
North Carolina	630,128	69.2	280,957	30.8
Oklahoma	109,195	61.6	68,073	38.4
South Carolina	299,372	77.7	86,055	22.3
Tennessee	537,411	83.1	109,430	16.9
Texas	2,645,858	53.0	2,341,958	47.0
Virginia	104,428	79.5	26,876	20.5
United States 2/	12,042,873	68.5	5,532,967	31.5

1/ Tenderable with respect to color, leaf, staple and mike in settlement of New York No. 2 futures contracts.

2/ Total includes small amount in Kansas.

Table 5. -- Tenderability of upland cotton classed, in the United States, 1975-1997 crops.

Year	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
1975	4,503,214	55.6	3,594,338	44.4
1976	5,767,782	56.1	4,516,274	43.9
1977	8,853,834	63.7	5,055,287	36.3
1978	5,711,866	54.6	4,747,335	45.4
1979	6,996,723	49.4	7,168,941	50.6
1980	5,405,563	50.4	5,316,703	49.6
1981	6,361,006	42.2	8,711,848	57.8
1982	7,166,579	62.7	4,263,069	37.3
1983	3,864,764	52.1	3,548,570	47.9
1984	5,414,575	43.6	7,004,174	56.4
1985	7,252,955	56.5	5,584,133	43.5
1986	4,073,446	44.1	5,163,393	55.9
1987	8,588,694	61.0	5,494,696	39.0
1988	8,743,021	60.5	5,719,472	39.5
1989	6,889,963	62.9	4,067,843	37.1
1990	8,034,460	55.5	6,443,058	44.5
1991	9,576,743	58.2	6,867,923	41.8
1992	10,082,486	67.4	4,881,090	32.6
1993	9,262,901	61.7	5,747,395	38.3
1994	11,968,375	64.7	6,541,523	35.3
1995	10,492,168	62.6	6,259,089	37.4
1996 2/	11,469,168	64.9	6,199,753	35.1
1997 2/	12,042,873	68.5	5,532,967	31.5

1/ 1975-1978 tenderable on New York No. 1 and No. 2 futures contracts; 1979-1981, New York No. 2; 1982, New York No. 2 and New Orleans; 1983-1984, New York No. 2; 1985, New York No. 2 and Chicago; and 1986-1997, New York No. 2 futures contracts.

Table 6. --- United States: Percent distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE														TOTAL
		25 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	0.2	0.6	1.4	2.2	3.0	4.0	2.8	0.2	*	*	14.3
	3	-	*	*	*	0.1	0.3	1.0	1.5	1.2	1.5	1.6	0.2	*	*	7.5
	4	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	0.2	*	*	*	1.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL -----		-	*	*	*	0.3	1.0	2.6	4.1	4.4	5.7	4.6	0.4	*	*	23.2
31	1-2	-	*	*	*	*	0.1	0.3	1.0	1.8	1.8	1.0	0.1	*	*	6.1
	3	-	*	*	*	0.1	0.3	0.9	1.9	3.6	4.9	4.2	0.5	*	*	16.3
	4	-	*	*	*	*	0.2	0.7	1.2	1.4	1.8	1.6	0.2	*	*	7.3
	5	-	*	*	*	*	0.2	0.4	0.6	0.4	0.3	0.2	*	*	*	2.1
	6	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
TOTAL -----		-	*	*	*	0.2	0.8	2.5	4.8	7.2	8.8	7.1	0.9	*	*	32.3
41	1-2	-	-	*	*	*	*	0.1	0.4	0.4	0.2	0.1	*	*	*	1.3
	3	-	*	*	*	*	0.1	0.6	2.1	3.3	2.5	1.5	0.2	*	*	10.2
	4	-	*	*	*	*	*	0.2	0.8	1.8	2.3	1.8	0.3	*	*	7.1
	5	-	*	*	*	*	*	0.1	0.1	0.3	0.5	0.3	*	*	*	1.4
	6	-	-	*	*	*	*	*	0.1	*	*	*	*	*	*	0.3
TOTAL -----		-	*	*	*	*	0.2	1.1	3.4	5.9	5.6	3.7	0.5	*	*	20.3
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	3	-	-	*	*	*	*	0.2	0.4	0.4	0.2	*	*	*	-	1.2
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.8
	5	-	*	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	6	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL -----		-	*	*	*	*	*	0.3	0.7	0.8	0.5	0.2	*	*	*	2.5
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL -----		-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
71	1-2	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL -----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	*	*	*	0.1	0.1	0.3	0.4	0.3	0.2	0.1	*	*	*	1.6
	3	-	*	*	*	0.1	0.2	0.4	0.6	0.4	0.2	0.1	*	*	*	2.0
	4	-	*	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.6
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL -----		-	*	*	*	0.2	0.4	0.9	1.2	0.8	0.4	0.2	*	*	*	4.2
32	1-2	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	3	-	*	*	*	*	0.1	0.3	0.6	0.7	0.7	0.4	*	*	*	3.0
	4	-	*	*	*	*	0.1	0.3	0.5	0.5	0.4	0.3	*	*	*	2.2
	5	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	0.1	*	*	*	0.9
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
TOTAL -----		-	*	*	*	0.1	0.4	0.9	1.5	1.5	1.3	0.8	0.1	*	*	6.8
42	1-2	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	3	-	*	*	*	*	0.1	0.4	0.9	1.1	0.5	0.1	*	*	*	3.1
	4	-	*	*	*	*	*	0.2	0.6	0.9	0.6	0.3	*	*	*	2.5
	5	-	*	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
TOTAL -----		-	*	*	*	*	0.1	0.7	1.8	2.2	1.3	0.5	*	*	*	6.6
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	*	0.2	0.3	0.3	0.1	*	*	*	-	0.9
	4	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL -----		-	-	*	*	*	0.1	0.3	0.6	0.6	0.2	*	*	*	*	1.9

Table 6. -- United States: Continued.

QUALITY	LEAF	STAPLE															TOTAL
COLOR		26 & -	26	27	30	31	32	33	34	35	36	37	38	39	40 & +		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL -----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
13 & 23	1-2	-	*	*	*	*	*	*	0.1	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	0.1	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*	
TOTAL -----		-	*	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	*	
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL -----		-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	*	0.6	
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL -----		-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4	
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	4	-	*	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL -----		-	*	*	*	*	*	*	0.1	*	*	*	*	*	-	*	
63	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
TOTAL -----		-	-	-	-	-	*	*	*	*	*	*	*	-	*	*	
24-54	1-7	-	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2	
25-35	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	8 2/	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
TOTAL, ALL -----		-	*	*	0.2	0.8	3.1	9.7	18.8	23.9	24.1	17.3	2.0	0.1	*	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1		6.4															
Bark - Level 2		*															
Grass - Level 1		1.1															
Grass - Level 2		*															
Prep - Level 1		0.3															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 2		*															
Average Staple -----		35.1															
Percent Tenderable -----		68.5															

Average Staple ----- 35.1
Percent Tenderable ----- 68.5

17,575,840 Bales classed including 5,562 bales from Kansas. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-a. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE															TOTAL
COLOR		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	*	*	0.1	0.4	0.8	0.9	1.0	0.1	*	-	-	3.3	
	3	-	-	-	*	*	*	0.2	0.4	0.5	0.5	0.1	*	-	-	1.6	
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	*	*	0.1	0.5	1.2	1.4	1.5	0.2	*	-	-	4.9	
31	1-2	-	-	-	*	*	0.3	1.1	1.7	1.3	0.6	*	*	-	-	5.1	
	3	-	-	-	*	*	0.1	0.8	3.3	7.4	7.3	4.7	0.5	*	-	24.2	
	4	-	-	-	-	-	*	0.1	0.5	1.4	1.5	1.3	0.2	*	-	4.9	
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3	
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
TOTAL		-	-	-	*	*	0.1	1.2	4.9	10.6	10.3	6.6	0.8	*	-	34.5	
41	1-2	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	*	-	-	0.9	
	3	-	*	*	*	*	1.0	2.9	4.8	4.0	2.0	0.2	*	-	-	15.0	
	4	-	-	-	-	*	0.4	1.4	2.9	2.9	1.8	0.2	*	-	-	9.7	
	5	-	-	-	-	*	*	0.1	0.3	0.3	0.3	*	*	-	-	1.0	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
TOTAL		-	*	*	*	*	0.2	1.5	4.7	8.3	7.3	4.1	0.5	*	-	26.6	
51	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1	
	3	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	-	0.7	
	4	-	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	-	1.1	
	5	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3	
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
TOTAL		-	-	*	*	*	0.1	0.4	0.7	0.5	0.2	0.1	*	*	-	2.2	
61	1-2	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
TOTAL		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	*	-	-	-	-	-	-	-	-	-	*	
12 & 22	1-2	-	-	-	-	*	*	*	*	*	0.1	*	*	-	-	0.2	
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.2	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*	
TOTAL		-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4	
32	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.2	0.2	*	*	-	0.8	
	3	-	-	-	*	*	0.5	1.1	1.6	1.7	1.7	0.2	*	-	-	6.9	
	4	-	-	-	-	-	*	0.1	0.4	0.7	0.7	0.5	0.1	*	-	2.5	
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
TOTAL		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
42	1-2	-	-	*	*	*	0.1	0.7	1.7	2.5	2.7	2.4	0.3	*	-	10.4	
	3	-	-	-	*	*	0.1	0.1	0.1	0.1	0.2	0.2	*	-	-	0.4	
	4	-	-	-	*	*	0.2	1.3	2.0	1.9	1.2	0.7	0.1	*	-	7.4	
	5	-	-	-	*	*	0.1	0.6	1.5	2.0	1.5	0.9	0.1	*	-	6.8	
	6	-	-	-	-	*	*	*	0.2	0.3	0.2	0.2	*	*	-	1.0	
TOTAL		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1	
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	-	-	-	1.1	
	4	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	-	-	1.4	
	5	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	-	0.5	
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
TOTAL		-	-	-	*	*	0.2	0.8	1.0	0.7	0.3	0.1	*	*	-	3.1	

Table 6-a. -- Alabama. Continued.

QUALITY	LEAF	STAPLE														
		25 & -	26	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL ----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
13 & 23	1-2	-	-	-	-	-	*	*	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	0.1	*	*	-	0.2
	4	-	-	-	*	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-
TOTAL ----		-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.3
43	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	-	0.6
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
TOTAL ----		-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	-	1.2
53	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL ----		-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	2/	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL, ALL ----		-	*	*	*	0.2	1.2	7.2	18.0	28.8	25.7	16.8	1.9	0.1	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		3.9														
Bark - Level 2		*														
Grass - Level 1		1.0														
Grass - Level 2		*														
Prep - Level 1		0.7														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 2		*														

525,204 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-b. --- Arizona: Percent distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE														
COLOR		25 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.8	4.2	10.9	11.0	4.9	0.3	*	*	32.1
	3	-	-	-	-	*	*	*	0.1	0.4	0.5	0.4	0.1	*	*	1.5
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	1-2	-	-	-	*	*	0.1	1.1	5.1	10.1	6.7	2.1	0.1	*	*	25.3
	3	-	-	-	*	*	*	0.3	1.3	3.0	2.1	0.9	0.1	*	-	7.6
	4	-	-	-	*	*	*	0.1	0.2	0.5	0.5	0.2	*	*	-	1.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
41	1-2	-	-	-	*	*	0.1	0.4	1.5	2.3	1.3	0.3	*	*	-	5.9
	3	-	-	-	-	*	*	0.2	0.9	1.4	0.9	0.3	*	*	-	3.7
	4	-	-	-	-	*	*	0.1	0.5	0.8	0.6	0.2	*	*	-	2.2
	5	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.9
	6	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
TOTAL	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
51	1-2	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	0.5
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2
	5	-	*	-	*	*	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
TOTAL	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
61	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	0.1	0.3	1.0	1.3	0.7	0.1	*	0.1	3.5
	3	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	-	0.8
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	*	-	-	*
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	*	*	*	0.1	0.3	0.6	0.6	0.2	*	*	*	1.9
	3	-	-	-	-	*	*	0.1	0.4	0.8	0.6	0.3	*	*	*	2.3
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	1.1
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
TOTAL	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
42	1-2	-	-	-	*	*	*	0.4	1.1	1.9	1.5	0.7	0.1	*	*	5.8
	3	-	-	-	-	*	*	0.1	0.3	0.6	0.6	0.2	*	*	*	1.9
	4	-	-	-	-	*	*	0.1	0.4	0.8	0.6	0.3	*	*	*	2.3
	5	-	-	-	-	*	*	0.1	0.3	0.3	0.1	0.1	*	*	-	1.1
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
TOTAL	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.2
TOTAL	7	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2

Table 6-b. -- Arizona: Continued.

QUALITY		STAPLE																
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL -----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL -----		-	-	-	-	-	-	-	-	0.2	0.2	0.1	-	-	-	-		
33	1-2	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL -----		-	-	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-		
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL -----		-	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL -----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL -----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL -----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EXTRANEEOUS MATTER																		
Bark - Level 1		8.3																
Bark - Level 2		0.2																
Grass - Level 1		1.9																
Grass - Level 2		-																
Prep - Level 1		0.1																
Prep - Level 2		-																
Other - Level 1		0.8																
Other - Level 2		-																

811,477 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-c. --- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	0.1	0.4	0.5	0.1	*	*	1.1
	3	-	-	-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	-	1.0
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL -----		-	-	-	-	-	*	*	*	0.3	0.8	0.9	0.1	*	*	2.2
31	1-2	-	-	-	-	-	*	*	0.1	0.6	1.6	1.7	0.2	*	-	4.1
	3	-	-	-	*	*	*	*	0.4	3.1	9.2	11.0	1.6	*	*	25.5
	4	-	-	-	-	-	*	*	0.2	1.7	5.1	4.7	0.7	*	*	12.4
	5	-	-	-	-	-	*	*	*	0.2	0.9	0.6	0.1	*	-	1.8
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
TOTAL -----		-	-	-	*	*	*	*	0.7	5.7	16.9	18.0	2.6	*	*	43.9
41	1-2	-	-	-	-	-	*	*	*	0.2	0.3	0.3	*	*	*	0.9
	3	-	-	-	-	*	*	*	0.4	2.2	5.4	6.4	0.9	*	*	15.4
	4	-	-	-	-	-	*	*	0.4	2.8	7.3	7.4	1.3	*	*	19.2
	5	-	-	-	-	*	*	*	0.1	0.6	2.0	1.5	0.2	*	*	4.4
	6	-	-	-	-	-	-	*	*	*	0.2	0.1	*	*	-	0.3
TOTAL -----		-	-	-	-	*	*	0.1	1.0	5.8	15.1	15.7	2.5	*	*	40.2
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	0.2	0.2	0.2	*	*	-	0.6
	4	-	-	-	-	-	*	*	0.1	0.4	0.6	0.4	0.1	*	*	1.5
	5	-	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	1.0
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
TOTAL -----		-	-	-	-	-	*	*	0.3	0.9	1.2	0.8	0.1	*	*	3.3
61	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL -----		-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL -----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL -----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.2
	3	-	-	-	-	-	*	*	0.1	0.4	0.9	0.8	0.1	*	*	2.3
	4	-	-	-	-	-	*	*	*	0.4	1.0	0.7	0.1	*	*	2.2
	5	-	-	-	-	-	-	*	*	0.1	0.3	0.2	*	*	*	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL -----		-	-	-	-	-	*	*	0.1	1.0	2.2	1.7	0.2	*	*	5.2
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.2	0.4	0.3	*	*	*	1.0
	4	-	-	-	-	-	*	*	0.1	0.5	0.9	0.6	0.1	*	*	2.2
	5	-	-	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	0.8
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
TOTAL -----		-	-	-	-	-	*	*	0.2	0.9	1.7	1.2	0.2	*	*	4.1
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL -----		-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	0.5

Table 6-c. -- Arkansas: Continued.

QUALITY	LEAF	STAPLE														
		25 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	*	-	*	*	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	-	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL, ALL		-	-	-	*	*	*	0.2	2.4	14.8	38.2	38.6	5.7	0.1	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.9														
Bark - Level 2		*														
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 2		*														

1,827,172 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Average Staple ----- 36.3
Percent Tenderable ----- 80.6

Table 6-d. --- California: Percent distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.1	0.8	7.7	22.3	18.4	1.3	*	*	50.5
	3	-	-	-	-	-	*	*	0.1	1.8	8.3	11.8	1.5	*	*	23.6
	4	-	-	-	-	-	-	*	*	0.1	0.5	1.2	0.2	*	*	2.0
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL		-	-	-	-	-	*	0.1	0.9	9.6	31.1	31.4	3.0	*	*	76.2
31	1-2	-	-	-	-	-	*	*	0.3	1.6	3.1	1.6	0.1	*	*	6.7
	3	-	-	-	-	-	*	*	0.1	-	3.3	3.9	0.4	*	*	8.7
	4	-	-	-	-	-	-	*	*	0.1	0.7	1.5	0.2	*	*	2.6
	5	-	-	-	-	-	-	*	*	*	0.1	0.2	*	*	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL		-	-	-	-	-	*	*	0.4	2.8	7.1	7.3	0.8	*	*	18.4
41	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	3	-	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	*	0.7
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL		-	-	-	-	-	*	*	0.1	0.4	0.7	0.6	0.1	*	*	1.9
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.2
61	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	*	0.7
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	*	*	*	0.4
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	0.1	0.5	0.5	*	*	*	1.2
32	1-2	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.3	*	*	*	0.7
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	0.2	0.5	0.5	0.1	*	*	1.3
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	-	*	*	0.1	*	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1

Table 6--d. --- California: Continued.

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
TOTAL -----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL -----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
TOTAL -----		-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL -----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
TOTAL -----		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
TOTAL -----		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8 2/	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
TOTAL, ALL -----		-	-	-	-	-	-	-	*	0.1	1.5	13.3	40.2	40.6	4.2	0.1
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		*														
Grass - Level 1		1.5														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		*														

1,984,419 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-e. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.5	0.8	0.3	*	*	-	-	1.9
	3	-	-	-	-	-	*	*	0.2	0.5	0.3	*	-	-	-	1.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	1-2	-	-	-	-	*	*	0.2	0.8	1.3	0.6	0.1	*	-	-	3.0
	3	-	-	-	-	*	*	0.4	1.6	2.1	0.7	0.1	*	-	-	5.0
	4	-	-	-	-	-	*	0.6	3.5	8.5	6.2	1.1	*	-	-	19.9
	5	-	-	-	-	-	-	0.1	0.5	2.6	3.2	0.7	*	-	-	7.1
	6	-	-	-	-	-	-	*	*	0.2	0.3	0.1	*	-	-	0.6
TOTAL	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
41	1-2	-	-	-	-	*	0.1	1.1	5.7	13.3	10.4	1.9	*	-	-	32.6
	3	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	-	-	-	0.9
	4	-	-	-	*	*	0.1	1.4	4.3	6.5	3.4	0.5	*	-	-	16.2
	5	-	-	-	-	-	*	0.4	2.5	7.4	7.2	1.6	*	*	-	19.1
	6	-	-	-	-	-	-	*	0.2	0.9	1.1	0.3	*	-	-	2.6
TOTAL	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	0.1
51	1-2	-	-	-	-	*	0.2	2.0	7.5	15.0	11.8	2.4	0.1	*	-	39.0
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	0.3	0.5	0.2	*	*	-	-	-	1.0
	5	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	-	-	-	0.9
	6	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.3
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1-2	-	-	-	-	*	0.1	0.5	1.0	0.7	0.2	*	-	-	-	2.5
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	*	0.2	0.6	1.1	0.9	0.3	*	-	-	3.1
	4	-	-	-	-	-	*	*	0.2	0.8	1.0	0.3	*	-	-	2.3
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	1-2	-	-	-	-	-	*	0.3	0.9	2.0	2.1	0.6	*	-	-	5.9
	3	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	-	0.3
	4	-	-	-	-	*	0.1	0.6	1.5	1.9	1.0	0.2	*	-	-	5.2
	5	-	-	-	-	-	*	0.3	1.4	3.0	2.4	0.6	*	-	-	7.7
	6	-	-	-	-	-	*	*	0.2	0.5	0.4	0.1	*	-	-	1.4
TOTAL	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	0.1
52	1-2	-	-	-	-	*	0.1	1.0	3.2	5.5	3.9	0.9	*	-	-	14.6
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	-	-	-	0.6
	5	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 6-e. --- Florida: Continued.

QUALITY		LEAF	STAPLE													
COLOR	28 & -		29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL -----		-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL -----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL -----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL -----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL -----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL -----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL -----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EXTRANEEOUS MATTER																
Bark - Level 1		7.1														
Bark - Level 2		-														
Grass - Level 1		0.7														
Grass - Level 2		-														
Prep - Level 1		0.8														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		-														

114,730 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-1. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed, 1987 crop.

QUALITY	LEAF	STAPLE															TOTAL
COLOR		25 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.7	
	3	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31	1-2	-	-	*	*	*	*	0.2	0.5	0.5	0.2	*	*	-	-	1.3	
	3	-	-	-	*	*	*	0.2	0.6	0.5	0.1	*	-	-	-	1.4	
	4	-	-	-	*	*	*	0.5	2.2	2.6	0.9	0.1	*	*	-	6.4	
	5	-	-	-	*	*	*	0.1	0.3	0.5	0.3	*	*	-	-	1.2	
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
41	1-2	-	-	-	*	*	0.1	0.8	3.1	3.6	1.3	0.2	*	*	-	9.0	
	3	-	-	-	*	*	*	0.2	0.6	0.5	0.1	*	-	-	-	1.6	
	4	-	-	-	*	*	0.2	1.7	6.7	8.0	2.7	0.4	*	*	-	19.8	
	5	-	-	-	-	*	*	0.4	2.2	3.7	1.7	0.3	*	*	-	8.3	
	6	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4	
TOTAL	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
51	1-2	-	-	*	*	*	0.3	2.4	9.6	12.4	4.6	0.7	*	*	-	30.0	
	3	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5	
	4	-	-	-	*	*	0.1	0.7	1.7	1.6	0.5	0.1	*	-	-	4.7	
	5	-	-	-	-	*	*	0.2	0.8	1.0	0.4	0.1	*	*	-	2.7	
	6	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2	
TOTAL	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
61	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.2	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
TOTAL	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
71	1-2	-	-	-	-	*	*	-	*	-	-	-	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
32	1-2	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4	
	3	-	-	*	*	*	*	0.3	1.1	1.2	0.4	0.1	*	*	-	3.2	
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.0	
	5	-	-	-	*	-	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*	
TOTAL	7	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*	
42	1-2	-	-	*	*	*	0.1	0.4	1.6	1.8	0.7	0.1	*	*	-	4.7	
	3	-	-	-	*	*	0.1	0.2	0.5	0.3	0.1	*	-	-	-	1.2	
	4	-	-	-	*	*	0.3	2.0	6.1	6.3	2.2	0.3	*	*	-	17.3	
	5	-	-	-	-	*	0.1	0.7	3.1	4.5	1.9	0.3	*	*	-	10.6	
	6	-	-	-	-	*	*	*	0.2	0.4	0.2	*	*	-	-	0.8	
TOTAL	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
52	1-2	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	-	-	-	0.6	
	3	-	-	*	*	*	0.3	1.3	2.6	1.9	0.5	0.1	*	-	-	6.7	
	4	-	-	*	*	*	0.1	0.7	1.6	1.6	0.6	0.1	*	-	-	4.7	
	5	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6	
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
TOTAL	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	

Table 6-f. --- Georgia: Continued.

QUALITY	LEAF	STAPLE														
		28 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL ----		-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.8
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	*	-	*	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*	*	0.8
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	*	*	*	0.2	0.5	0.5	0.2	*	*	*	-	1.5
53	1-2	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.6
	4	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
TOTAL ----		-	-	*	*	*	0.1	0.2	0.4	0.3	0.1	*	*	-	-	1.1
63	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL ----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
24-54	1-7	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.2
25-35	1-7	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	8 2/	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL ----		-	-	*	*	0.2	1.9	11.0	33.5	37.5	13.9	2.1	*	*	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		1.6														
Bark - Level 2		-														
Grass - Level 1		0.8														
Grass - Level 2		*														
Prep - Level 1		1.2														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		*														

1,879,442 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Average Staple ----- 34.6
Percent Tenderable ----- 47.9

Table 6-g. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	1.4	2.6	1.5	0.4	*	*	-	6.2
	3	-	-	-	-	-	*	*	0.3	0.7	0.6	0.2	*	*	-	1.8
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	*	*	0.2	1.7	3.3	2.1	0.7	*	*	-	-	8.1
31	1-2	-	-	-	-	*	*	0.4	2.9	6.6	4.4	1.3	*	*	-	15.7
	3	-	-	-	-	-	*	0.5	3.6	10.8	10.4	4.5	0.4	*	*	30.2
	4	-	-	-	-	*	*	0.1	0.8	2.2	2.8	2.1	0.4	*	*	8.3
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	0.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL	-	-	-	-	*	*	1.0	7.3	19.7	17.8	8.1	0.8	*	*	-	54.8
41	1-2	-	-	-	-	-	*	0.1	0.4	0.6	0.4	0.1	*	*	-	1.6
	3	-	-	-	-	*	*	0.3	1.7	4.0	3.5	1.3	0.1	*	-	10.8
	4	-	-	-	-	*	*	0.1	0.9	2.6	2.9	1.8	0.3	*	*	8.6
	5	-	-	-	-	-	-	*	0.1	0.4	0.5	0.4	0.1	*	*	1.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL	-	-	-	-	*	*	0.5	3.1	7.6	7.2	3.7	0.4	*	*	-	22.5
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	0.7	
61	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
32	1-2	-	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	-	0.9
	3	-	-	-	-	*	*	0.1	0.7	1.6	1.3	0.5	*	*	-	4.3
	4	-	-	-	-	-	*	*	0.2	0.5	0.7	0.5	0.1	*	*	2.1
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL	-	-	-	-	*	*	0.2	1.2	2.5	2.4	1.1	0.2	*	*	-	7.6
42	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.5	0.7	0.4	0.1	*	*	-	1.9
	4	-	-	-	-	-	*	0.1	0.4	0.8	0.6	0.3	*	*	*	2.3
	5	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL	-	-	-	-	*	*	0.2	1.1	1.7	1.3	0.6	0.1	*	*	-	5.0
52	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4

Table 6-g. -- Louisiana. Continued.

QUALITY		LEAF	STAPLE														TOTAL
COLOR			28 & -	29	30	31	32	33	34	35	36	37	38	39	40 & +		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
TOTAL -----		-	-	-	-	-	-	*	*	*	*	*	*	*	*		
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL -----		-	-	-	-	-	-	-	*	*	*	*	*	*	*		
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL -----		-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
TOTAL -----		-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3		
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
TOTAL -----		-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
TOTAL -----		-	-	-	-	-	-	*	*	*	*	*	*	*	*		
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
TOTAL, ALL -----		-	-	-	-	*	*	2.2	14.7	35.6	31.3	14.4	1.6	0.1	*	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1		0.3															
Bark - Level 2		*															
Grass - Level 1		1.5															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 2		*															

1,001,998 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Average Staple ----- 35.5
Percent Tenderable ----- 74.6

Table 6-h. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE															
COLOR		28 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	*	0.2	0.6	1.1	0.9	0.1	*	*	3.0	
	3	-	-	-	-	*	*	*	0.1	0.3	0.6	0.5	0.1	*	*	1.5	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	*	*	*	0.2	0.9	1.8	1.5	0.1	*	*	4.6	
31	1-2	-	-	-	-	*	*	0.1	0.6	2.1	3.4	2.7	0.2	*	*	9.1	
	3	-	-	-	*	*	*	0.2	1.3	6.0	12.6	12.7	1.5	*	*	34.4	
	4	-	-	-	*	*	*	*	0.4	1.9	4.1	4.4	0.7	*	*	11.5	
	5	-	-	-	-	-	*	*	*	0.2	0.5	0.4	0.1	*	*	1.3	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
TOTAL		-	-	-	*	*	*	0.3	2.3	10.2	20.7	20.3	2.5	*	*	56.4	
41	1-2	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	-	-	0.8	
	3	-	-	*	-	*	*	0.1	0.6	1.9	3.3	2.9	0.3	*	*	9.2	
	4	-	*	-	-	*	*	0.1	0.6	2.3	4.1	4.2	0.6	*	*	11.9	
	5	-	-	-	-	-	*	*	0.1	0.6	1.1	0.9	0.1	*	*	2.8	
	6	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
TOTAL		-	*	*	-	*	*	0.2	1.4	5.1	8.9	8.2	1.1	*	*	24.9	
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.2	
	4	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.8	
	5	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6	
	6	-	-	*	-	*	-	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
TOTAL		-	-	*	*	*	*	*	0.2	0.5	0.5	0.3	*	*	*	1.7	
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	*	*	-	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
TOTAL		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
TOTAL		-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	*	-	-	*	*	*	*	*	*	*	-	0.1	
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
32	1-2	-	-	*	-	*	*	*	*	0.1	0.1	0.1	*	-	-	0.4	
	3	-	-	*	-	*	*	*	0.2	0.8	1.5	1.4	0.2	*	*	4.1	
	4	-	-	-	*	*	*	*	0.1	0.5	1.0	0.9	0.1	*	*	2.7	
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	-	0.5	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
TOTAL		-	-	*	*	*	*	*	0.3	1.5	2.8	2.6	0.4	*	*	7.7	
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	3	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	-	0.9	
	4	-	-	-	-	*	*	*	0.1	0.4	0.7	0.5	0.1	*	-	1.9	
	5	-	-	-	-	-	*	*	*	0.2	0.3	0.2	*	*	-	0.8	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
TOTAL		-	-	-	-	*	*	*	0.3	0.9	1.4	1.0	0.1	*	-	3.8	
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	*	-	*	*	*	*	*	*	*	*	-	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
TOTAL		-	-	-	*	-	*	*	*	0.1	0.1	0.1	*	*	-	0.4	

Table 6-h. -- Mississippi: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER																
Bark - Level 1		1.2														
Bark - Level 2		*														
Grass - Level 1		0.6														
Grass - Level 2		*														
Prep - Level 1		0.2														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		*														

Average Staple ----- 36.1
Percent Tenderable ----- 80.0

1,769,887 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-i. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE															
COLOR		28 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.	
11 & 21	1-2	-	-	-	-	-	-	*	0.1	0.3	0.4	0.5	0.1	*	*	-	1.4
	3	-	-	-	-	-	-	*	*	0.2	0.2	0.2	*	*	-	0.7	
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31	1-2	-	-	-	-	-	*	*	0.3	1.0	1.4	1.3	0.2	*	*	-	2.1
	3	-	-	-	-	-	*	0.1	1.3	6.1	11.5	12.0	1.8	*	*	32.2	
	4	-	-	-	-	-	*	*	0.5	3.0	6.8	6.1	0.7	*	*	17.2	
	5	-	-	-	-	-	*	*	*	0.3	0.7	0.5	*	*	-	1.5	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
41	1-2	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	0.3	
	3	-	-	-	-	*	*	0.1	0.5	2.2	4.4	5.0	0.8	*	*	13.0	
	4	-	-	-	-	*	*	0.1	0.6	2.4	6.2	7.4	1.2	*	*	18.0	
	5	-	-	-	-	*	*	*	0.1	0.5	1.4	1.4	0.2	*	-	3.7	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1	
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
51	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2	
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
TOTAL	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
TOTAL	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	*	0.1	0.4	0.5	0.5	0.1	*	-	1.6	
	4	-	-	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	1.6	
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3	
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
42	1-2	-	-	-	-	*	*	0.1	0.3	0.8	1.2	1.0	0.2	*	*	-	3.6
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.5	
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	1.1	
	5	-	-	-	-	*	*	0.1	0.1	0.2	0.3	0.3	0.1	*	*	0.5	
	6	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	*	
TOTAL	7	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*	
52	1-2	-	-	-	-	-	*	*	0.1	0.2	0.4	0.6	0.6	0.1	*	-	2.1
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 6-i. -- Missouri. Continued.

QUALITY		STAPLE																
COLOR	LEAF	24 & -	26	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	*	-	*	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL -----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	-	-	*	-	-	-	-		
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL -----		-	-	-	-	-	-	*	*	*	-	*	-	-	-	-		
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL -----		-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-		
43	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL -----		-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-		
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-		
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-		
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-		
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL -----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	-		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-		
	5	-	-	-	-	-	-	*	-	*	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL -----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	-		
	8 2/	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-		
TOTAL, ALL -----		-	-	-	-	*	0.1	0.7	4.4	17.4	35.4	36.5	5.5	0.2	*	100.0		
EXTRANEEOUS MATTER																		
Bark - Level 1		0.4																
Bark - Level 2		"																
Grass - Level 1		0.6																
Grass - Level 2		"																
Prep - Level 1		*																
Prep - Level 2		"																
Other - Level 1		"																
Other - Level 2		"																

546,724 Bales classed. 1/ Below Color. 2/ Below Leaf. " Less than 0.05 percent.

Table 6-j. --- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE														TOTAL
		25 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.5	2.3	6.1	10.4	14.3	3.9	0.6	-	38.2
	3	-	-	*	-	*	*	0.2	0.3	0.5	1.2	4.7	2.9	0.7	*	10.6
	4	-	-	-	-	-	-	*	*	*	0.1	0.6	0.5	0.1	-	1.4
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	-	*	*	0.8	2.7	6.6	11.7	19.7	7.3	1.5	*	50.4
31	1-2	-	-	-	-	-	*	0.1	0.5	1.2	2.5	3.8	1.3	0.2	*	9.6
	3	-	-	-	-	*	*	0.2	0.3	0.6	1.3	5.9	3.6	0.6	*	12.6
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.7	3.5	3.0	0.7	*	8.6
	5	-	-	-	-	*	-	*	0.1	0.1	0.2	0.9	1.0	0.4	*	2.7
	6	-	-	-	-	-	-	-	*	*	*	0.2	0.2	*	*	0.5
	7	-	-	-	-	-	-	*	*	*	-	*	*	*	-	*
TOTAL		-	-	-	-	*	*	0.3	1.1	2.4	4.8	14.3	9.2	1.9	*	34.1
41	1-2	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.3
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	-	0.5
	4	-	-	-	-	-	-	-	*	*	0.1	0.4	0.3	0.1	-	1.0
	5	-	-	-	-	-	-	-	*	*	*	0.3	0.3	0.1	-	0.8
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	0.3
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL		-	-	-	-	-	-	*	0.1	0.2	0.3	1.1	0.9	0.2	-	2.9
51	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	0.1	0.2	0.4	0.7	1.1	0.3	*	-	2.9
	3	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.5	0.2	0.1	-	1.2
	4	-	-	-	-	*	*	*	*	*	*	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	0.1	0.2	0.3	0.5	0.9	1.8	0.7	0.2	*	4.6
32	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	0.2	0.1	*	-	0.6
	3	-	-	-	-	*	*	*	0.1	0.2	0.3	0.8	0.5	0.1	*	2.1
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.3	0.9	0.6	0.2	*	2.4
	5	-	-	-	*	*	*	*	*	0.1	0.2	0.4	0.3	0.1	*	1.1
	6	-	-	-	-	-	*	*	-	*	*	0.1	*	*	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
TOTAL		-	-	-	*	*	0.1	0.2	0.3	0.5	1.0	2.4	1.5	0.5	*	6.5
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	0.1	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	0.1	*	*	-	0.2
	7	-	-	-	-	-	*	-	-	*	*	*	*	*	-	*
TOTAL		-	-	-	-	*	*	*	*	*	0.1	0.3	0.2	*	-	0.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*

Table 6-j. -- New Mexico: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		25 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.2
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	-	*	-	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL ----		-	-	-	*	*	*	*	*	*	*	0.1	*	*	*	0.4
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL ----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL ----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL, ALL ----		-	-	*	*	0.1	0.3	1.6	4.5	10.4	18.9	39.8	19.8	4.3	0.1	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		2.7														
Bark - Level 2		*														
Grass - Level 1		0.7														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		-														

69,484 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-k. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed, 1907 crop.

QUALITY	LEAF	STAPLE														TOTAL
		25 & -	26	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	-	-	-	0.4
31	1-2	-	-	-	-	*	*	0.2	0.5	0.5	0.2	*	*	-	-	1.6
	3	-	-	-	-	*	0.1	0.8	2.4	3.4	2.0	0.4	*	-	-	9.1
	4	-	-	-	-	*	*	0.1	0.4	0.6	0.5	0.1	*	-	-	1.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL		-	-	-	-	*	0.1	1.2	3.3	4.6	2.7	0.6	*	-	-	12.4
41	1-2	-	-	-	*	*	0.1	1.0	1.9	1.4	0.4	*	*	-	-	4.9
	3	-	-	-	*	*	0.4	5.1	13.3	16.7	7.9	1.3	*	-	-	44.7
	4	-	-	-	*	*	*	0.9	2.9	5.3	4.0	1.1	*	-	-	14.2
	5	-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	-	-	0.8
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL		-	-	-	*	*	0.6	6.9	18.3	23.7	12.5	2.5	0.1	-	-	64.7
51	1-2	-	-	-	-	*	*	0.2	0.2	0.1	*	*	*	-	-	0.6
	3	-	-	-	*	*	0.1	1.1	1.8	1.5	0.5	0.1	*	-	-	5.0
	4	-	-	-	-	*	*	0.2	0.5	0.7	0.4	0.1	*	-	-	1.9
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL		-	-	-	*	*	0.2	1.5	2.5	2.4	1.0	0.2	*	-	-	7.8
61	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.2	0.4	0.5	0.3	0.1	*	-	-	1.4
	4	-	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.3	0.6	0.7	0.4	0.1	*	-	-	2.1
42	1-2	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.5
	3	-	-	-	*	*	0.2	1.2	1.9	1.8	0.9	0.2	*	-	-	6.1
	4	-	-	-	*	*	*	0.4	0.9	1.2	0.9	0.3	*	-	-	3.6
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL		-	-	-	*	*	0.2	1.8	3.0	3.3	1.8	0.5	*	-	-	10.6
52	1-2	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	*	-	-	1.0
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL		-	-	-	*	*	0.1	0.4	0.5	0.4	0.2	*	*	-	-	1.6

Table 6-k. --- North Carolina: Continued.

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1	
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	*	-	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
53	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	-	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	*	-	-	*	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	*	-	*	*	*	*	*	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	8 2/	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
TOTAL, ALL		-	-	-	*	0.1	1.2	12.2	28.5	35.2	18.8	4.0	0.1	-	100.0	
EXTRANEEOUS MATTER																
Bark - Level 1		1.8														
Bark - Level 2		*														
Grass - Level 1		3.3														
Grass - Level 2		*														
Prep - Level 1		0.2														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		-														
		Average Staple ----- 34.7														
		Percent Tenderable ----- 69.2														

Average Staple ----- 34.7
Percent Tenderable ----- 69.2

911,085 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-1. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.1	*	0.1	0.6	1.5	1.4	1.0	0.1	*	-	4.9
	3	-	-	*	*	*	*	0.1	0.4	1.3	1.7	1.4	0.1	*	-	5.1
	4	-	-	-	*	*	*	*	0.1	0.3	0.5	0.3	*	*	-	1.3
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	0.1	0.1	0.2	1.1	3.1	3.7	2.7	0.2	*	-	11.3
31	1-2	-	-	*	*	0.1	0.1	0.3	1.3	2.8	2.0	0.6	*	-	-	7.3
	3	-	-	*	*	0.1	0.4	1.2	3.7	7.0	6.0	3.2	0.2	*	-	21.9
	4	-	-	*	*	*	0.2	0.7	1.8	2.7	2.5	1.5	0.1	*	-	9.6
	5	-	-	-	*	*	0.1	0.2	0.4	0.6	0.4	0.2	*	*	-	2.0
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL		-	-	*	*	0.2	0.8	2.5	7.2	13.1	11.0	5.5	0.4	*	-	40.8
41	1-2	-	-	-	*	*	*	*	0.1	0.3	0.2	0.1	*	-	-	0.8
	3	-	-	*	*	*	0.1	0.3	0.7	1.3	1.3	0.7	*	-	-	4.5
	4	-	*	-	*	*	0.2	0.7	1.3	1.3	1.1	0.7	*	*	-	5.3
	5	-	-	-	*	*	0.2	0.6	1.1	0.9	0.5	0.1	*	-	-	3.5
	6	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	-	-	-	1.1
	7	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2
TOTAL		-	*	*	*	0.1	0.7	2.0	3.7	4.1	3.1	1.5	*	*	-	15.3
51	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	*	-	*	*	*	*	*	*	-	-	-	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
TOTAL		-	-	*	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	*	*	0.1	0.1	0.1	0.1	0.2	0.1	*	*	-	-	0.8
	3	-	-	-	*	*	*	0.1	0.2	0.4	0.4	0.1	*	*	-	1.3
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	-	-	0.5
	5	-	-	-	-	*	-	-	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	*	*	0.1	0.1	0.2	0.4	0.7	0.8	0.3	*	*	-	2.6
32	1-2	-	*	*	0.1	0.2	0.2	0.2	0.3	0.1	*	*	*	-	-	1.1
	3	-	*	*	0.1	0.3	0.8	1.2	1.6	1.4	0.8	0.5	*	*	-	6.8
	4	-	-	*	*	0.1	0.4	0.9	1.3	1.4	1.1	0.6	*	-	-	5.7
	5	-	-	-	*	*	0.1	0.4	0.6	0.6	0.4	0.3	*	*	-	2.5
	6	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
TOTAL		-	*	*	0.2	0.6	1.5	2.8	3.9	3.5	2.4	1.4	0.1	*	-	16.4
42	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	-	-	0.6
	4	-	-	*	*	0.1	0.1	0.3	0.6	0.4	0.2	0.1	*	-	-	1.8
	5	-	*	*	*	0.1	0.2	0.5	0.9	0.7	0.3	0.1	*	-	-	2.7
	6	-	-	-	*	*	0.2	0.4	0.6	0.3	0.1	*	-	-	-	1.7
	7	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
TOTAL		-	*	*	*	0.3	0.7	1.5	2.3	1.6	0.7	0.2	*	-	-	7.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	5	-	-	*	*	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
TOTAL		-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4

Table 6-1. -- Oklahoma: Continued.

QUALITY	LEAF	STAPLE														
COLOR		26 1/2 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.2
33	1-2	-	*	*	*	0.1	0.1	*	0.1	*	*	*	-	-	-	0.3
	3	-	-	*	*	0.1	0.1	0.1	0.2	0.2	0.1	*	*	-	-	0.8
	4	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	-	-	0.5
	5	-	-	*	*	*	*	*	0.1	*	*	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	7	-	-	-	-	*	*	-	-	*	-	-	-	-	-	*
TOTAL -----		-	*	*	*	0.2	0.2	0.3	0.5	0.4	0.2	0.1	*	-	-	2.0
43	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	0.1	*	*	*	*	*	*	-	-	-	0.3
	4	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.5
	5	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	6	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	7	-	-	*	-	*	*	*	*	*	*	*	-	-	-	0.1
TOTAL -----		-	-	*	*	0.1	0.2	0.3	0.4	0.4	0.1	*	*	-	-	1.6
53	1-2	-	-	-	-	*	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
TOTAL -----		-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL -----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	*	*	0.2	0.3	0.1	0.1	0.1	*	*	*	-	-	0.9
25-35	1-7	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	8 2/	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	-	0.4
TOTAL, ALL -----		-	*	0.1	0.5	2.0	4.7	10.4	20.2	27.3	22.1	11.9	0.7	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		17.8														
Bark - Level 2		*														
Grass - Level 1		0.1														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 2		-														
Average Staple -----		34.8														
Percent Tenderable -----		61.6														

177,268 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Average Staple ----- 34.8
Percent Tenderable ----- 61.6

Table 6-m. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed, 1937 crop.

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.4
31	1-2	-	-	-	-	-	*	0.1	0.6	1.0	0.4	0.1	*	-	-	2.1
	3	-	-	-	-	*	*	0.3	1.6	4.2	3.2	0.7	*	-	-	10.1
	4	-	-	-	-	-	*	*	0.2	0.6	0.6	0.2	*	-	-	1.7
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.4	2.4	5.8	4.3	0.9	*	-	-	13.9
41	1-2	-	-	-	-	*	*	0.6	1.8	1.8	0.5	*	*	-	-	4.8
	3	-	-	-	*	*	0.1	2.2	9.2	16.6	9.7	1.6	*	-	-	39.5
	4	-	-	-	-	-	*	0.3	2.1	6.1	5.6	1.4	*	-	-	15.5
	5	-	-	-	-	-	*	*	0.1	0.3	0.4	0.1	*	-	-	0.8
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL		-	-	-	*	*	0.1	3.2	13.2	24.8	16.2	3.2	0.1	-	-	60.7
51	1-2	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	-	*	*	0.5	1.4	1.5	0.6	0.1	*	-	-	4.0
	4	-	-	-	-	*	*	0.2	0.6	0.9	0.5	0.1	*	-	-	2.3
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
TOTAL		-	-	-	-	*	*	0.7	2.2	2.7	1.2	0.2	*	-	-	7.0
61	1-2	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	0.1	0.3	0.6	0.5	0.1	*	-	-	1.6
	4	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	-	-	0.6
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.4	0.9	0.7	0.2	*	-	-	2.3
42	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	3	-	-	-	-	*	*	0.5	1.6	2.7	1.7	0.3	*	-	-	6.9
	4	-	-	-	-	*	*	0.2	0.9	2.0	1.8	0.5	*	-	-	5.4
	5	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.8	2.7	5.0	3.7	1.0	*	-	-	13.2
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	0.9
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	-	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL		-	-	-	-	*	*	0.2	0.6	0.7	0.3	0.1	*	-	-	2.0

Table 6-m. --- South Carolina: Continued.

QUALITY		STAPLE														
COLOR	LEAF	25 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL ----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
53	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL, ALL ----		-	-	-	*	*	0.3	5.5	21.6	40.3	26.6	5.6	0.1	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		2.1														
Bark - Level 2		*														
Grass - Level 1		2.1														
Grass - Level 2		*														
Prep - Level 1		0.5														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		*														

385,427 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-n. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	0.1	0.7	1.6	1.5	0.1	*	-	4.1
	3	-	-	-	-	-	-	*	0.1	0.6	1.1	1.0	0.1	*	-	2.9
	4	-	-	-	-	-	-	*	=	=	0.1	=	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	=	*	*	=	-	-	=
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	-	-	*	*	0.2	1.3	2.8	2.5	0.2	*	-	7.1
31	1-2	-	-	-	-	-	*	*	0.2	1.6	3.8	3.2	0.2	*	-	9.1
	3	-	-	-	-	-	*	0.1	0.9	6.6	14.8	13.8	1.4	*	-	37.7
	4	-	-	-	-	-	-	*	0.3	2.6	5.0	3.7	0.4	*	-	12.0
	5	-	-	-	-	-	-	*	*	0.3	0.7	0.4	*	-	-	1.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL ----		-	-	-	-	-	*	0.1	1.5	11.2	24.3	21.2	2.0	*	-	60.4
41	1-2	-	-	-	-	-	-	*	*	0.2	0.3	0.2	*	-	-	0.7
	3	-	-	-	-	*	*	*	0.4	1.8	3.2	2.3	0.2	*	-	7.8
	4	-	-	-	-	-	-	*	0.5	2.3	3.6	2.3	0.2	*	-	8.9
	5	-	-	-	-	-	-	*	0.1	0.5	0.8	0.4	*	-	-	1.9
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL ----		-	-	-	-	*	*	0.1	1.0	4.8	7.9	5.3	0.4	*	-	19.5
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	0.7
	5	-	-	-	-	-	-	*	*	0.2	0.2	0.1	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL ----		-	-	-	-	-	*	*	0.1	0.5	0.6	0.2	*	-	-	1.5
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL ----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.2
	3	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ----		-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.4
32	1-2	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	3	-	-	-	-	-	*	*	0.2	0.9	1.3	1.1	0.1	*	-	3.7
	4	-	-	-	-	-	-	*	0.1	0.5	0.8	0.6	0.1	*	-	2.0
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL ----		-	-	-	-	-	*	*	0.3	1.6	2.4	1.9	0.3	*	-	6.6
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	0.7
	4	-	-	-	-	-	*	*	0.1	0.5	0.6	0.4	*	*	-	1.7
	5	-	-	-	-	-	-	*	*	0.2	0.2	0.2	*	*	-	0.7
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL ----		-	-	-	-	-	*	*	0.3	0.9	1.2	0.7	0.1	*	-	3.2
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL ----		-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3

Table 6-n. -- Tennessee: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL -----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	-	-	0.5
43	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL -----		-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.4
53	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL -----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL, ALL -----		-	-	-	*	*	*	0.4	3.6	20.9	39.9	32.0	3.0	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		1.3														
Bark - Level 2		*														
Grass - Level 1		1.0														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		-														

646,841 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-o. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	0.1	0.6	2.0	4.7	6.2	4.4	2.0	0.5	*	*	-	20.5
	3	-	*	*	*	0.3	1.2	3.4	5.1	2.9	1.2	0.4	*	*	*	14.4
	4	-	*	*	*	*	0.3	0.8	1.2	0.7	0.2	*	*	-	-	3.2
	5	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL		-	*	*	0.1	0.9	3.4	8.9	12.6	8.1	3.5	0.9	*	*	*	38.5
31	1-2	-	*	*	*	0.1	0.3	0.7	1.0	0.7	0.3	*	*	-	-	3.1
	3	-	*	*	*	0.2	0.8	2.3	3.0	1.7	0.7	0.2	*	*	-	8.9
	4	-	*	*	*	0.2	0.8	2.3	3.4	1.7	0.5	0.1	*	*	-	9.1
	5	-	*	*	*	0.1	0.6	1.5	2.0	1.1	0.3	*	*	*	*	5.6
	6	-	-	*	*	*	0.2	0.4	0.4	0.2	*	*	*	-	-	1.3
	7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
TOTAL		-	*	*	0.1	0.6	2.7	7.3	9.8	5.5	1.8	0.4	*	*	*	28.2
41	1-2	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	3	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	-	-	0.5
	4	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	5	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.6
	6	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.5
	7	-	-	*	*	*	*	0.1	*	*	*	*	*	-	-	0.2
TOTAL		-	*	*	*	0.1	0.3	0.7	0.8	0.5	0.2	*	*	-	-	2.6
51	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
TOTAL		-	-	*	*	*	*	0.1	*	*	*	*	-	-	-	0.2
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	*	*	0.1	0.3	0.5	1.0	1.4	0.9	0.4	0.1	*	*	-	4.6
	3	-	*	*	*	0.2	0.6	1.5	2.1	1.2	0.5	0.1	*	*	*	6.4
	4	-	*	*	*	*	0.2	0.5	0.7	0.4	0.1	*	*	*	-	1.9
	5	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
TOTAL		-	*	*	0.1	0.5	1.3	3.1	4.2	2.5	1.0	0.3	*	*	*	13.3
32	1-2	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	-	0.6
	3	-	*	*	*	0.2	0.4	0.9	1.1	0.7	0.3	0.1	*	*	-	3.7
	4	-	*	*	*	0.1	0.4	0.9	1.3	0.7	0.2	0.1	*	*	-	3.7
	5	-	*	*	*	0.1	0.3	0.6	0.8	0.5	0.1	*	*	*	-	2.5
	6	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.5
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL		-	*	*	0.1	0.4	1.3	2.7	3.6	2.1	0.7	0.2	*	*	-	11.0
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	4	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	6	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	*	0.3
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
TOTAL		-	*	*	*	0.2	0.4	0.5	0.3	0.1	*	*	*	*	*	1.5
52	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL		-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3

Table 6-o. -- Texas: Continued.

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
TOTAL -----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
	3	-	*	*	*	*	*	0.2	0.2	0.1	*	*	*	-	-	0.7
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
TOTAL -----		-	*	*	*	*	0.1	0.3	0.5	0.3	0.1	*	*	-	-	1.5
33	1-2	-	*	*	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	3	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	-	0.8
	4	-	*	*	*	*	*	0.1	0.2	0.1	*	*	*	*	-	0.5
	5	-	-	*	*	*	*	*	0.1	*	*	*	*	*	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL -----		-	*	*	*	0.1	0.2	0.4	0.5	0.4	0.1	*	*	*	-	1.7
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL -----		-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.3
53	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	*	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL -----		-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
TOTAL -----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	-	-	0.6
25-35	1-7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	8 2/	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
TOTAL, ALL -----		-	*	0.1	0.5	2.7	9.7	24.2	33.1	20.1	7.6	2.0	*	*	*	100.0
EXTRANEEOUS MATTER		Average Staple ----- 33.9														
		Percent Tenderable ----- 53.0														
Bark - Level 1		17.6														
Bark - Level 2		*														
Grass - Level 1		0.8														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		*														

4,987,816 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-p. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE														
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	0.4
	3	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	-	*	0.2	0.3	0.3	*	*	-	-	-	0.8
31	1-2	-	-	-	-	-	*	*	0.2	0.3	0.2	*	-	-	-	0.8
	3	-	-	-	-	-	*	0.2	0.8	1.3	1.3	0.4	*	-	-	4.0
	4	-	-	-	-	-	-	*	0.2	0.3	0.3	0.1	*	-	-	0.9
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	*	0.3	1.2	1.9	1.7	0.6	*	-	-	-	5.7
41	1-2	-	-	-	-	-	*	0.2	0.7	1.1	0.5	0.1	-	-	-	2.6
	3	-	-	-	-	-	*	1.3	6.8	13.8	9.1	1.8	*	-	-	32.8
	4	-	-	-	-	*	*	0.2	1.0	2.4	2.4	1.0	*	-	-	7.0
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL	-	-	-	-	*	*	1.7	8.6	17.3	12.0	2.9	*	-	-	-	42.7
51	1-2	-	-	-	-	-	*	0.2	0.6	0.7	0.3	*	*	-	-	1.9
	3	-	-	-	-	*	*	1.6	6.0	10.6	7.6	2.1	*	-	-	28.0
	4	-	-	-	-	-	*	0.2	0.8	2.0	2.1	1.0	*	-	-	6.0
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL	-	-	-	-	*	*	2.0	7.4	13.4	10.1	3.2	0.1	-	-	-	36.3
61	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.1	0.2	0.1	0.1	*	-	-	0.6
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	-	-	-	0.7
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	-	*	-	-	-	-	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.2
42	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	-	-	*	0.4	1.0	1.4	1.0	0.4	*	-	-	4.2
	4	-	-	-	-	-	*	0.1	0.3	0.5	0.4	0.2	*	-	-	1.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	*	0.5	1.4	1.9	1.5	0.6	*	-	-	-	6.0
52	1-2	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	-	*	*	0.6	1.5	1.7	1.1	0.3	*	-	-	5.3
	4	-	-	-	-	-	*	0.1	0.3	0.5	0.4	0.2	*	-	-	1.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL	-	-	-	-	*	*	0.8	2.0	2.3	1.5	0.5	*	-	-	-	7.1

Table 6-p. --- Virginia: Continued.

QUALITY	LEAF	STAPLE															
COLOR		26 1/2 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.2
63	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL, ALL -----		-	-	-	-	*	0.2	5.5	21.0	37.7	27.5	8.0	0.2	-	-	-	100.0
EXTRANEEOUS MATTER																	
Bark - Level 1		1.6															
Bark - Level 2		*															
Grass - Level 1		3.1															
Grass - Level 2		*															
Prep - Level 1		0.2															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 2		-															

131,304 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 7. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 1997 crop.

ABILENE					BIRMINGHAM			CORPUS CHRISTI
Color	Leaf	Oklahoma	Texas	Classing Office Total 1/	Alabama	Florida	Classing Office Total	TEXAS
11 & 21	1-2	4.9	34.6	29.9	3.3	1.5	3.0	37.7
	3	5.1	9.1	8.4	1.6	1.0	1.5	11.1
	4	1.3	0.9	0.9	0.1	0.1	0.1	1.9
	5	0.1	0.1	0.1	*	*	*	0.2
	6	*	*	*	-	-	-	*
	7	-	*	*	-	-	-	-
	TOTAL	11.3	44.6	39.4	4.9	2.6	4.6	50.9
31	1-2	7.3	4.1	4.5	5.1	3.3	4.8	14.9
	3	21.9	11.5	13.0	24.2	20.4	23.6	9.3
	4	9.6	5.7	6.3	4.9	8.6	5.5	2.5
	5	2.0	1.4	1.5	0.3	0.7	0.4	0.6
	6	0.1	0.1	0.1	*	*	*	*
	7	*	*	*	*	*	*	*
	TOTAL	40.8	22.8	25.4	34.5	33.1	34.3	27.3
41	1-2	0.8	0.2	0.3	0.9	0.1	0.8	2.6
	3	4.5	0.8	1.3	15.0	13.6	14.8	2.7
	4	5.3	1.2	1.8	9.7	22.7	11.6	0.7
	5	3.5	1.1	1.5	1.0	3.2	1.3	0.1
	6	1.1	0.4	0.5	*	0.1	*	*
	7	0.2	0.1	0.1	*	*	*	*
	TOTAL	15.3	3.6	5.4	26.6	39.7	28.6	6.1
51	1-2	*	*	*	0.1	*	0.1	0.4
	3	*	0.1	0.1	0.7	0.2	0.6	0.5
	4	0.1	0.1	0.1	1.1	0.9	1.1	0.2
	5	0.1	0.1	0.1	0.3	0.4	0.3	*
	6	0.2	*	0.1	*	*	*	*
	7	0.1	*	*	-	-	-	*
	TOTAL	0.5	0.3	0.4	2.2	1.6	2.1	1.2
61	1-2	-	*	*	*	-	*	*
	3	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	-
	7	*	-	*	*	-	*	-
	TOTAL	*	*	*	0.1	*	0.1	0.1
71	1-2	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-
	4	-	-	-	*	-	*	-
	5	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	-	*	-
12 & 22	1-2	0.8	4.5	3.9	0.2	*	0.1	1.5
	3	1.3	3.6	3.2	0.2	*	0.2	2.3
	4	0.5	0.6	0.6	*	*	*	1.0
	5	0.1	0.1	0.1	*	-	*	0.1
	6	*	*	*	*	-	*	*
	7	*	*	*	*	-	*	*
	TOTAL	2.6	8.7	7.7	0.4	*	0.3	4.9
32	1-2	1.1	1.0	1.0	0.8	*	0.7	0.9
	3	6.8	5.8	5.9	6.9	2.7	6.3	2.0
	4	5.7	4.7	4.8	2.5	2.7	2.5	1.1
	5	2.5	2.0	2.1	0.2	0.3	0.2	0.4
	6	0.3	0.2	0.2	*	*	*	0.1
	7	*	*	*	*	-	*	*
	TOTAL	16.4	13.8	14.1	10.4	5.8	9.7	4.4
42	1-2	*	0.2	0.2	0.4	*	0.4	0.7
	3	0.6	0.8	0.7	7.4	4.4	7.0	1.1
	4	1.8	1.0	1.1	6.8	9.0	7.1	0.3
	5	2.7	1.1	1.4	1.0	1.7	1.1	0.1
	6	1.7	0.6	0.8	0.1	0.1	0.1	*
	7	0.6	0.2	0.3	*	-	*	*
	TOTAL	7.4	3.8	4.5	15.8	15.1	15.7	2.3
52	1-2	-	0.1	0.1	0.1	*	0.1	0.4
	3	*	0.2	0.1	1.1	0.2	1.0	0.6
	4	*	0.1	0.1	1.4	0.6	1.3	0.3
	5	0.1	0.1	0.1	0.5	0.5	0.5	0.1
	6	0.2	*	0.1	0.1	0.1	0.1	*
	7	0.1	*	*	*	-	*	*
	TOTAL	0.4	0.5	0.5	3.1	1.4	2.9	1.4

Table 7. -- Continued.

ABILENE					BIRMINGHAM			CORPUS CHRISTI
Color	Leaf	Oklahoma	Texas	Classing Office Total 1/	Alabama	Florida	Classing Office Total	TEXAS
62	1-2	-	*	*	*	-	*	*
	3	*	*	*	*	*	*	0.1
	4	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*
	7	-	*	*	*	-	*	*
	TOTAL	*	*	*	0.1	*	0.1	0.2
13 & 23	1-2	0.1	0.1	0.1	*	-	*	*
	3	0.1	0.1	0.1	*	-	*	0.1
	4	*	*	*	*	-	*	*
	5	*	*	*	*	-	*	*
	6	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-
	TOTAL	0.2	0.3	0.2	*	-	*	0.1
33	1-2	0.3	0.1	0.1	*	-	*	0.1
	3	0.8	0.4	0.5	0.2	0.1	0.2	0.1
	4	0.5	0.2	0.3	0.1	*	0.1	0.1
	5	0.3	0.1	0.1	*	*	*	*
	6	*	*	*	-	-	-	*
	7	*	*	*	*	-	*	*
	TOTAL	2.0	0.8	1.0	0.3	0.1	0.3	0.3
43	1-2	*	*	*	*	*	*	0.1
	3	0.3	0.1	0.1	0.6	0.1	0.5	0.1
	4	0.5	0.1	0.2	0.5	0.2	0.4	*
	5	0.4	0.1	0.2	0.1	*	0.1	*
	6	0.3	0.1	0.1	*	*	*	*
	7	0.1	*	*	*	-	*	*
	TOTAL	1.6	0.4	0.7	1.2	0.4	1.1	0.3
53	1-2	*	*	*	*	*	*	*
	3	*	*	*	0.1	0.1	0.1	0.1
	4	*	*	*	0.1	*	0.1	*
	5	*	*	*	0.1	*	*	*
	6	*	*	*	*	*	*	*
	7	*	*	*	*	-	*	-
	TOTAL	0.1	0.1	0.1	0.3	0.1	0.3	0.2
63	1-2	-	*	*	-	-	-	*
	3	-	*	*	*	-	*	0.1
	4	-	*	*	*	*	*	0.1
	5	*	*	*	*	-	*	*
	6	*	*	*	*	-	*	*
	7	*	*	*	-	-	-	*
	TOTAL	*	*	*	*	*	*	0.2
24-54	1-7	0.9	0.1	0.3	0.1	0.1	0.1	0.1
25-35	1-7	*	*	*	*	-	*	-
81-85 2/	1-7	*	*	*	*	-	*	0.1
	8 3/	0.4	0.1	0.1	*	*	*	*
TOTAL, ALL		100.0	100.0	100.0	100.0	100.0	100.0	100.0
=====								
STAPLE								
28 & SHORTER		*	*	*	*	-	*	-
29		0.1	0.1	0.1	*	-	*	0.1
30		0.5	0.5	0.5	*	-	*	0.4
31		2.0	3.5	3.2	0.2	*	0.1	3.5
32		4.7	12.8	11.6	1.2	0.1	1.1	8.8
33		10.4	27.6	24.9	7.2	2.9	6.6	19.1
34		20.2	29.8	28.4	18.0	15.3	17.6	27.9
35		27.3	17.5	19.1	28.8	40.2	30.5	24.2
36		22.1	6.7	9.0	25.7	34.0	26.9	12.5
37		11.9	1.5	3.1	16.8	7.3	15.4	3.4
38 & LONGER		0.8	*	0.1	2.0	0.2	1.7	0.1
All staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		34.8	33.7	33.9	35.3	35.3	35.3	34.1

1/ Abilene classing office includes 5,562 bales from Kansas. 2/ Below Color. 3/ Below Leaf.

* Less than 0.05 percent.

Table 7. -- Continued.

DUMAS					FLORENCE			
Color	Leaf	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
11 & 21	1-2	0.8	3.1	2.4	0.2	0.2	0.4	0.2
	3	0.6	1.5	1.3	0.2	0.2	0.4	0.2
	4	0.1	0.1	0.1	*	*	*	*
	5	*	*	*	*	-	-	*
	6	-	*	*	-	-	-	-
	7	*	-	*	-	-	-	-
	TOTAL	1.4	4.7	3.7	0.4	0.4	0.8	0.4
31	1-2	4.9	9.6	8.2	1.6	2.1	0.8	1.6
	3	27.1	35.0	32.7	9.1	10.1	4.0	8.9
	4	12.6	11.4	11.7	1.7	1.7	0.9	1.6
	5	2.1	1.2	1.4	0.1	0.1	*	0.1
	6	0.1	*	0.1	*	*	-	*
	7	*	*	*	*	-	-	*
	TOTAL	46.8	57.2	54.2	12.4	13.9	5.7	12.2
41	1-2	1.2	0.8	0.9	4.9	4.8	2.6	4.7
	3	16.2	8.8	10.9	44.7	39.5	32.8	42.2
	4	18.1	11.1	13.1	14.2	15.5	7.0	13.9
	5	4.3	2.6	3.1	0.8	0.8	0.2	0.8
	6	0.3	0.2	0.2	*	*	*	*
	7	*	*	*	*	*	*	*
	TOTAL	40.0	23.4	28.2	64.7	60.7	42.7	61.6
51	1-2	0.1	*	*	0.6	0.3	1.9	0.6
	3	0.8	0.2	0.4	5.0	4.0	28.0	6.9
	4	1.3	0.8	0.9	1.9	2.3	6.0	2.4
	5	0.8	0.6	0.6	0.3	0.3	0.4	0.3
	6	0.1	0.1	0.1	*	*	*	*
	7	*	*	*	*	*	*	*
	TOTAL	3.0	1.6	2.0	7.8	7.0	36.3	10.2
61	1-2	-	*	*	*	*	*	*
	3	*	*	*	*	*	0.6	0.1
	4	*	*	*	*	*	0.1	*
	5	*	*	*	*	*	*	*
	6	*	*	*	*	*	-	*
	7	*	*	*	-	*	-	*
	TOTAL	0.1	*	0.1	*	0.1	0.7	0.1
71	1-2	-	-	-	-	-	-	-
	3	*	*	*	*	*	*	*
	4	*	*	*	*	*	-	*
	5	*	*	*	*	*	-	*
	6	*	*	*	*	-	-	*
	7	-	*	*	-	-	-	-
	TOTAL	*	*	*	*	*	*	*
12 & 22	1-2	*	*	*	*	*	-	*
	3	*	0.1	0.1	*	*	*	*
	4	*	*	*	*	*	*	*
	5	*	*	*	-	-	-	-
	6	*	-	*	-	-	-	-
	7	-	-	-	-	-	-	-
	TOTAL	*	0.1	0.1	*	*	*	*
32	1-2	0.1	0.4	0.3	0.1	0.1	*	0.1
	3	1.9	4.5	3.7	1.4	1.6	0.1	1.3
	4	1.8	2.8	2.5	0.5	0.6	*	0.5
	5	0.5	0.5	0.5	*	0.1	-	*
	6	*	*	*	*	*	-	*
	7	*	*	*	-	-	-	-
	TOTAL	4.3	8.3	7.1	2.1	2.3	0.2	2.0
42	1-2	*	0.1	0.1	0.5	0.4	0.3	0.4
	3	1.0	1.0	1.0	6.1	6.9	4.2	6.1
	4	1.9	1.9	1.9	3.6	5.4	1.5	3.9
	5	0.7	0.8	0.8	0.3	0.5	0.1	0.3
	6	0.1	0.1	0.1	*	*	*	*
	7	*	*	*	*	-	-	*
	TOTAL	3.6	3.8	3.8	10.6	13.2	6.0	10.9
52	1-2	*	*	*	0.1	0.1	0.3	0.1
	3	0.1	*	*	1.0	0.9	5.3	1.3
	4	0.2	0.1	0.2	0.4	0.8	1.4	0.6
	5	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	6	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*
	TOTAL	0.5	0.4	0.4	1.6	2.0	7.1	2.2

Table 7. -- Continued.

DUMAS					FLORENCE			
Color	Leaf	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
62	1-2	-	*	*	*	■	*	*
	3	■	■	*	■	■	0.1	*
	4	■	■	*	■	*	*	■
	5	■	■	*	■	■	-	■
	6	■	■	*	■	*	-	■
	7	-	■	*	-	-	-	-
TOTAL	-----	*	■	*	■	■	0.1	■
13 & 23	1-2	-	■	*	*	-	-	*
	3	■	■	■	*	-	-	*
	4	-	■	■	-	-	-	-
	5	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-
TOTAL	-----	*	■	*	■	■	-	*
33	1-2	■	*	*	■	■	*	*
	3	*	0.1	0.1	■	*	*	*
	4	■	*	*	*	*	-	*
	5	*	■	■	■	■	-	*
	6	*	*	■	■	-	-	*
	7	■	-	■	-	-	-	-
TOTAL	-----	*	0.2	0.1	■	*	*	*
43	1-2	*	*	*	*	*	■	*
	3	■	0.1	0.1	0.1	0.1	0.1	0.1
	4	*	0.1	0.1	0.1	0.1	*	0.1
	5	*	*	*	*	*	-	■
	6	■	■	*	*	■	-	■
	7	-	*	*	-	-	-	-
TOTAL	-----	0.1	0.2	0.2	0.2	0.3	0.2	0.2
53	1-2	-	■	*	*	*	*	*
	3	■	■	*	*	■	0.1	■
	4	■	*	*	*	■	*	■
	5	■	*	*	*	*	■	*
	6	■	■	■	■	*	-	*
	7	-	■	*	-	-	-	-
TOTAL	-----	*	*	*	0.1	0.1	0.2	0.1
63	1-2	-	■	■	*	-	*	*
	3	■	■	■	*	*	■	*
	4	*	*	■	*	*	-	*
	5	■	■	■	*	-	-	*
	6	-	■	■	-	■	■	*
	7	-	-	-	-	-	-	-
TOTAL	-----	*	■	■	*	*	*	*
24-54	1-7	*	*	■	*	*	*	■
25-35	1-7	-	■	*	-	-	-	-
81-85 1/	1-7	*	■	■	■	*	*	■
	8 2/	*	■	*	■	■	*	■
TOTAL, ALL	-----	100.0	100.0	100.0	100.0	100.0	100.0	100.0
=====								
STAPLE								
28 & SHORTER		-	■	*	-	-	-	-
29		-	*	■	-	-	-	-
30		*	*	■	*	*	-	*
31		■	■	■	0.1	■	*	■
32		■	*	*	1.2	0.3	0.2	0.8
33		0.2	0.7	0.5	12.2	5.5	5.5	9.8
34		1.5	4.9	3.9	28.5	21.6	21.0	25.9
35		10.8	19.1	16.7	35.2	40.3	37.7	36.8
36		35.0	36.1	35.8	18.8	26.6	27.5	21.7
37		44.3	34.7	37.5	4.0	5.6	8.0	4.8
38 & LONGER		8.3	4.4	5.6	0.1	0.1	0.2	0.1

All staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0

Average staple		36.5	36.1	36.2	34.7	35.1	35.1	34.8

1/ Below Color. 2/ Below Leaf. ■ Less than 0.05 percent.

Table 7. -- Continued.

HAYTI					LAMESA		LUBBOCK		MACON		
Color	Leaf	Arkansas	Missouri	Classing Office Total	Texas	New Mexico	Texas	Classing Office Total	Florida	Georgia	Classing Office Total
11 & 21	1-2	0.8	1.4	1.2	21.9	0.6	10.2	10.2	3.2	0.7	0.7
	3	0.5	0.7	0.6	22.1	7.5	15.3	15.3	1.4	0.6	0.6
	4	*	*	*	5.8	1.4	3.7	3.7	-	*	*
	5	*	*	*	0.3	0.4	0.6	0.6	-	*	*
	6	-	-	-	*	-	*	*	-	*	*
	7	-	-	-	*	-	*	*	-	-	-
	TOTAL	1.4	2.1	1.9	50.1	10.2	29.8	29.8	4.6	1.3	1.4
31	1-2	3.4	4.2	4.0	0.7	0.3	0.6	0.6	12.0	1.4	1.6
	3	26.3	32.8	31.0	6.9	11.1	8.5	8.5	17.5	6.4	6.5
	4	13.0	17.2	16.1	10.9	4.8	11.5	11.5	0.7	1.2	1.2
	5	1.3	1.5	1.5	4.5	0.9	8.8	8.8	-	*	*
	6	*	*	*	0.5	-	2.3	2.3	*	*	*
	7	-	-	-	*	-	0.2	0.2	-	*	*
	TOTAL	44.1	55.7	52.6	23.5	17.0	31.9	31.9	30.2	9.0	9.3
41	1-2	0.6	0.3	0.4	*	-	*	*	4.4	1.6	1.6
	3	16.8	13.0	14.1	*	-	*	*	27.5	19.8	19.9
	4	20.4	18.0	18.7	0.1	-	0.2	0.2	4.0	8.3	8.2
	5	3.8	3.7	3.7	0.2	0.1	0.6	0.6	0.1	0.4	0.4
	6	0.1	0.1	0.1	0.1	-	0.9	0.9	-	*	*
	7	*	-	*	*	-	0.3	0.3	-	*	*
	TOTAL	41.7	35.1	36.9	0.5	0.1	2.0	2.0	36.0	30.0	30.1
51	1-2	*	*	*	-	-	*	*	0.6	0.5	0.5
	3	0.1	0.1	0.1	*	-	*	*	4.4	4.7	4.7
	4	0.9	0.2	0.4	*	-	*	*	1.0	2.7	2.7
	5	0.9	0.3	0.5	*	-	*	*	*	0.2	0.2
	6	0.1	*	*	*	-	*	*	-	*	*
	7	*	*	*	*	-	*	*	-	*	*
	TOTAL	2.0	0.7	1.0	*	-	*	*	6.1	8.1	8.1
61	1-2	-	-	-	-	-	*	*	*	*	*
	3	*	*	*	-	-	-	-	0.1	0.2	0.2
	4	*	*	*	-	-	-	-	*	0.1	0.1
	5	*	*	*	-	-	-	-	-	*	*
	6	*	*	*	-	-	*	*	-	*	*
	7	*	-	*	-	-	*	*	-	*	*
	TOTAL	0.1	*	*	-	-	*	*	0.1	0.3	0.3
71	1-2	-	-	-	-	-	-	-	-	*	*
	3	-	-	-	-	-	-	-	*	*	*
	4	-	-	-	-	-	-	-	*	*	*
	5	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	*	*
	TOTAL	-	-	-	-	-	-	-	*	*	*
12 & 22	1-2	*	*	*	5.4	2.0	5.3	5.3	0.2	*	*
	3	*	*	*	7.7	13.0	8.2	8.2	0.2	0.1	0.1
	4	*	*	*	2.8	3.0	2.4	2.4	*	*	*
	5	-	*	*	0.2	-	0.4	0.4	-	*	*
	6	-	-	-	*	-	*	*	-	-	-
	7	-	-	-	*	-	*	*	-	-	-
	TOTAL	0.1	*	*	16.1	18.0	16.3	16.3	0.4	0.1	0.1
32	1-2	0.1	0.1	0.1	0.2	0.3	0.5	0.5	1.1	0.4	0.4
	3	2.0	1.6	1.7	2.1	10.0	3.7	3.7	4.6	3.2	3.2
	4	2.5	1.6	1.8	3.4	16.3	4.1	4.1	0.6	1.0	1.0
	5	0.6	0.3	0.4	1.5	7.2	3.4	3.4	*	*	*
	6	*	*	*	0.2	0.6	0.9	0.9	-	*	*
	7	-	-	-	*	-	0.1	0.1	-	*	*
	TOTAL	5.2	3.6	4.0	7.4	34.4	12.7	12.7	6.2	4.7	4.7
42	1-2	*	*	*	*	-	*	*	1.5	1.2	1.2
	3	0.9	0.5	0.6	*	-	*	*	8.8	17.3	17.2
	4	2.1	1.1	1.4	0.1	-	0.1	0.1	2.2	10.6	10.5
	5	0.9	0.5	0.6	0.2	0.5	0.3	0.3	0.1	0.8	0.8
	6	0.1	0.1	0.1	0.1	0.9	0.3	0.3	-	*	*
	7	*	*	*	*	0.1	0.1	0.1	-	*	*
	TOTAL	4.0	2.1	2.7	0.4	1.5	0.8	0.8	12.5	29.9	29.7
52	1-2	-	*	*	-	-	*	*	0.1	0.6	0.6
	3	*	*	*	*	-	*	*	1.8	6.7	6.7
	4	0.3	0.1	0.1	*	-	*	*	0.7	4.7	4.6
	5	0.4	0.1	0.2	*	-	*	*	0.1	0.6	0.6
	6	0.1	*	*	*	-	*	*	-	*	*
	7	-	-	-	*	-	*	*	-	*	*
	TOTAL	0.8	0.2	0.4	*	-	*	*	2.7	12.7	12.6

Table 7. -- Continued.

HAYTI					LAMESA		LUBBOCK		MACON		
Color	Leaf	Arkansas	Missouri	Classing Office Total	Texas	New Mexico	Texas	Classing Office Total	Florida	Georgia	Classing Office Total
62	1-2	-	*	*	-	-	*	*	*	0.1	0.1
	3	*	*	*	-	-	*	*	0.1	0.4	0.4
	4	*	*	*	-	-	*	*	0.1	0.3	0.3
	5	*	*	*	-	-	*	*	*	0.1	0.1
	6	*	*	*	-	-	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	*	*
	TOTAL	*	*	*	-	-	*	*	0.2	0.8	0.8
13 & 23	1-2	-	*	*	0.4	0.4	1.2	1.2	*	*	*
	3	*	*	*	0.6	1.0	1.0	1.0	*	*	*
	4	*	*	*	0.1	0.4	0.2	0.2	-	*	*
	5	-	-	-	*	-	*	*	-	-	-
	6	-	-	-	*	-	*	*	-	*	*
	7	-	-	-	-	-	*	*	-	-	-
	TOTAL	*	*	*	1.1	1.8	2.4	2.4	*	*	*
33	1-2	*	*	*	*	-	0.4	0.4	*	*	*
	3	0.1	0.1	0.1	0.3	4.6	1.2	1.2	*	0.1	0.1
	4	0.1	0.1	0.1	0.3	7.9	0.7	0.7	-	*	*
	5	*	*	*	0.1	1.7	0.3	0.3	-	*	*
	6	*	*	*	*	0.1	0.1	0.1	-	*	*
	7	-	-	-	*	-	*	*	-	-	-
	TOTAL	0.2	0.2	0.2	0.7	14.2	2.7	2.7	0.1	0.1	0.1
43	1-2	*	*	*	*	-	*	*	*	0.1	0.1
	3	0.1	0.1	0.1	*	0.4	0.1	0.1	0.2	0.8	0.8
	4	0.2	0.1	0.1	*	0.8	0.1	0.1	0.1	0.5	0.5
	5	*	*	*	*	0.3	0.1	0.1	-	0.1	0.1
	6	*	*	*	*	0.1	*	*	-	*	*
	7	-	-	-	*	0.1	*	*	-	*	*
	TOTAL	0.3	0.2	0.2	0.1	1.7	0.3	0.3	0.3	1.5	1.5
53	1-2	*	*	*	-	-	*	*	*	0.1	0.1
	3	*	*	*	*	-	*	*	0.1	0.6	0.6
	4	*	*	*	*	-	*	*	*	0.4	0.4
	5	*	*	*	*	-	*	*	*	0.1	0.1
	6	*	*	*	*	-	*	*	-	*	*
	7	-	-	-	-	-	*	*	-	*	*
	TOTAL	0.1	*	*	*	-	*	*	0.2	1.1	1.1
63	1-2	-	-	-	-	-	*	*	*	*	*
	3	-	*	*	*	-	*	*	0.1	*	*
	4	-	*	*	-	-	*	*	*	*	*
	5	*	*	*	-	-	*	*	*	*	*
	6	*	*	*	-	-	*	*	*	*	*
	7	-	-	-	-	-	*	*	-	*	*
	TOTAL	*	*	*	*	-	*	*	0.1	0.1	0.1
24-54	1-7	*	*	*	0.1	1.0	1.0	1.0	0.1	0.2	0.2
25-35	1-7	-	-	-	*	-	*	*	-	*	*
81-85 1/	1-7	-	*	*	*	-	*	*	0.1	*	*
	8 2/	*	*	*	*	-	0.1	0.1	*	*	*
TOTAL, ALL		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
=====											
STAPLE		-	-	-	*	-	*	*	-	-	-
28 & SHORTER		-	-	-	*	-	0.1	0.1	-	*	*
29		-	-	-	0.1	1.1	0.6	0.6	*	*	*
30		*	*	*	0.5	8.6	2.8	2.8	0.2	0.2	0.2
31		*	0.1	0.1	3.8	23.8	10.4	10.4	2.2	1.9	1.9
32		0.5	0.7	0.6	19.1	40.8	25.8	25.8	16.4	11.0	11.0
33		3.5	4.4	4.1	39.7	22.2	33.9	33.9	39.6	33.5	33.5
34		14.5	17.4	16.6	25.5	3.2	18.3	18.3	32.2	37.5	37.4
35		35.1	35.4	35.3	8.7	0.3	6.4	6.4	8.7	13.9	13.8
36		39.9	36.5	37.4	2.4	-	1.6	1.6	0.8	2.1	2.1
37		6.5	5.6	5.9	0.1	-	*	*	-	*	*
38 & LONGER											
All staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		36.3	36.2	36.2	34.2	32.9	33.8	33.8	34.3	34.6	34.6

1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 7. -- Continued.

MEMPHIS						PHOENIX				
Color	Leaf	Arkansas	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
11 & 21	1-2	1.5	2.3	4.1	2.6	32.1	43.5	38.6	83.8	34.4
	3	1.4	1.7	2.9	2.0	1.5	0.9	10.6	1.6	2.1
	4	0.1	0.1	0.1	0.1	0.1	*	1.4	0.4	0.2
	5	*	*	*	*	*	*	0.2	0.1	*
	6	■	-	*	■	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-
	TOTAL	3.0	4.0	7.1	4.8	33.8	44.5	50.8	86.0	36.8
31	1-2	3.7	3.9	9.1	6.0	25.3	35.2	9.7	4.4	24.6
	3	23.9	27.2	37.7	29.9	7.6	4.3	12.6	1.7	7.6
	4	12.0	13.7	12.0	12.2	1.6	0.5	8.7	1.2	2.0
	5	1.8	2.6	1.4	1.7	0.2	0.1	2.8	0.5	0.4
	6	0.1	0.2	0.1	0.1	*	*	0.5	0.1	0.1
	7	*	■	■	■	*	*	*	-	*
	TOTAL	41.4	47.7	60.4	49.9	34.7	40.1	34.3	8.0	34.6
41	1-2	0.7	0.5	0.7	0.7	5.9	5.2	0.3	0.1	5.4
	3	14.2	12.6	7.8	11.4	3.7	1.3	0.5	0.1	3.2
	4	19.8	20.9	8.9	15.4	2.2	0.4	1.0	0.1	2.0
	5	4.7	5.4	1.9	3.6	0.9	0.1	0.8	0.1	0.8
	6	0.4	0.6	0.1	0.3	0.2	■	0.3	*	0.2
	7	*	■	■	■	■	■	0.1	*	*
	TOTAL	39.9	40.0	19.5	31.4	13.0	7.0	2.9	0.4	11.6
51	1-2	■	*	*	*	0.5	0.2	*	*	0.4
	3	0.6	0.4	0.3	0.5	0.3	0.1	*	-	0.2
	4	1.9	1.2	0.7	1.3	0.2	*	*	-	0.1
	5	1.2	1.0	0.5	0.9	0.2	-	*	-	0.1
	6	0.2	0.1	0.1	0.1	0.1	-	-	-	0.1
	7	*	*	*	*	■	-	*	-	*
	TOTAL	3.9	2.7	1.5	2.8	1.2	0.2	■	*	1.1
61	1-2	*	*	*	*	*	*	-	-	*
	3	*	*	*	*	*	-	-	-	*
	4	0.1	*	*	■	*	-	-	-	*
	5	0.1	*	*	0.1	*	-	-	-	*
	6	*	*	*	■	*	-	-	-	*
	7	*	*	*	■	*	-	-	-	*
	TOTAL	0.2	0.1	*	0.1	*	*	-	-	*
71	1-2	-	-	*	*	■	*	-	-	*
	3	*	-	-	*	-	-	-	-	-
	4	*	-	-	*	-	-	-	-	-
	5	*	-	-	*	-	-	-	-	-
	6	*	-	-	*	-	-	-	-	-
	7	*	-	-	*	-	-	-	-	-
	TOTAL	*	-	*	*	*	*	-	-	*
12 & 22	1-2	■	*	0.2	0.1	3.5	3.6	2.9	1.6	3.4
	3	0.1	*	0.2	0.1	0.8	0.2	1.1	0.5	0.7
	4	*	*	*	*	0.1	*	0.4	0.1	0.1
	5	*	-	*	■	*	*	0.1	*	*
	6	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-
	TOTAL	0.1	*	0.4	0.2	4.4	3.9	4.5	2.2	4.3
32	1-2	0.2	0.1	0.5	0.3	1.9	1.1	0.6	0.6	1.8
	3	2.8	0.9	3.7	3.0	2.3	1.2	2.0	1.3	2.2
	4	2.5	0.8	2.0	2.2	1.1	0.7	2.2	0.5	1.2
	5	0.5	0.3	0.3	0.4	0.3	0.1	1.1	0.2	0.4
	6	*	*	■	*	0.1	*	0.2	*	0.1
	7	-	-	■	*	■	*	*	■	■
	TOTAL	6.1	2.1	6.6	5.9	5.8	3.2	6.2	2.6	5.6
42	1-2	0.1	*	*	0.1	0.3	0.2	*	*	0.3
	3	1.1	0.5	0.7	0.9	0.8	0.2	0.1	0.2	0.7
	4	2.5	1.7	1.7	2.1	1.0	0.2	0.2	0.1	0.9
	5	0.8	0.7	0.7	0.7	1.0	0.1	0.2	0.1	0.9
	6	0.1	0.1	0.1	0.1	0.5	■	0.2	0.1	0.4
	7	*	-	*	■	0.1	*	*	*	0.1
	TOTAL	4.6	2.9	3.2	3.9	3.9	0.7	0.7	0.5	3.3
52	1-2	*	*	*	*	■	*	*	*	*
	3	0.1	*	*	*	■	*	*	-	*
	4	0.2	0.1	0.1	0.2	0.1	*	*	-	0.1
	5	0.1	0.1	0.1	0.1	0.2	-	*	-	0.1
	6	*	*	*	*	0.2	-	*	*	0.2
	7	*	*	*	■	0.2	-	*	-	0.1
	TOTAL	0.4	0.3	0.3	0.4	0.7	*	*	■	0.6

Table 7. -- Continued.

MEMPHIS						PHOENIX				
Color	Leaf	Arkansas	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
62	1-2	*	*	*	*	*	*	-	-	*
	3	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	-	-	-	*
	5	*	*	*	*	*	-	-	-	*
	6	*	*	*	*	*	-	-	-	*
	7	*	-	*	*	*	-	-	-	*
TOTAL	---	*	*	*	*	*	*	-	-	*
13 & 23	1-2	*	-	*	*	0.5	0.3	0.1	*	0.4
	3	*	-	*	*	0.1	*	*	*	0.1
	4	*	-	*	*	*	*	*	*	*
	5	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	*	-	-	-	*
TOTAL	---	*	-	*	*	0.6	0.3	0.2	*	0.6
33	1-2	*	*	0.1	*	0.2	*	*	0.1	0.2
	3	*	*	0.3	0.1	0.2	*	0.1	0.1	0.2
	4	*	*	0.1	0.1	0.1	*	0.1	*	0.1
	5	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	-	*	-	*
	7	-	-	-	-	*	-	*	-	*
TOTAL	---	0.1	*	0.5	0.2	0.6	0.1	0.2	0.1	0.5
43	1-2	*	*	*	*	*	*	*	*	*
	3	*	*	0.1	0.1	0.2	*	*	*	0.2
	4	0.1	*	0.2	0.1	0.2	*	*	*	0.2
	5	*	*	0.1	*	0.1	*	*	*	0.1
	6	*	*	*	*	0.1	-	*	*	0.1
	7	*	-	*	*	*	-	*	-	*
TOTAL	---	0.1	*	0.4	0.2	0.7	*	0.1	0.1	0.6
53	1-2	*	-	*	*	*	-	-	-	*
	3	*	*	*	*	*	*	*	-	*
	4	*	*	*	*	*	-	-	-	*
	5	*	*	*	*	*	-	*	-	*
	6	*	*	*	*	*	-	*	-	*
	7	*	-	*	*	*	-	*	-	*
TOTAL	---	*	*	*	*	0.2	*	*	-	0.1
63	1-2	*	-	*	*	*	-	-	-	*
	3	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	-	-	-	*
	5	*	*	*	*	*	-	-	-	*
	6	*	-	*	*	*	-	-	-	*
	7	-	-	*	*	*	-	*	-	*
TOTAL	---	*	*	*	*	*	-	*	-	*
24-54	1-7	*	*	0.1	*	0.4	*	*	-	0.3
25-35	1-7	-	-	-	-	*	-	-	-	*
81-85 1/	1-7	*	-	*	*	*	-	-	-	*
	8 2/	*	*	*	*	*	*	*	*	*
TOTAL, ALL	---	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
STAPLE										
28 & SHORTER		-	-	-	-	*	-	-	-	*
29		-	-	-	-	*	-	*	*	*
30		*	-	*	*	*	-	-	-	*
31		-	-	*	*	0.1	*	*	*	0.1
32		*	*	*	*	0.6	*	0.1	*	0.5
33		0.2	0.7	0.4	0.3	4.8	0.9	1.2	1.3	4.2
34		2.9	5.1	3.6	3.4	18.0	9.4	4.3	15.6	16.3
35		18.3	20.6	20.9	19.6	35.5	29.2	10.5	49.6	33.5
36		41.8	38.7	39.9	40.7	28.2	42.3	19.1	24.9	28.6
37		33.2	31.2	32.0	32.5	11.6	17.6	40.3	7.3	14.0
38 & LONGER		3.5	3.7	3.1	3.4	1.2	0.6	24.5	1.3	2.8
All staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		36.2	36.1	36.1	36.1	35.3	35.7	36.7	35.3	35.4

1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 7. -- Continued.

RAYVILLE						VISALIA
Color	Leaf	Arkansas	Louisiana	Mississippi	Classing Office Total	California
11 & 21	1-2	0.8	6.2	0.1	6.1	50.8
	3	0.5	1.8	0.2	1.8	24.5
	4	0.1	0.1	*	0.1	2.1
	5	*	*	-	*	0.1
	6	-	*	-	*	*
	7	-	-	-	-	*
	TOTAL	1.4	8.1	0.3	7.9	77.4
31	1-2	5.6	15.7	5.2	15.5	5.6
	3	29.0	30.2	35.3	30.2	8.9
	4	11.2	8.3	10.0	8.3	2.7
	5	0.5	0.7	0.3	0.7	0.3
	6	*	*	*	*	*
	7	-	*	-	*	*
	TOTAL	46.2	54.8	50.7	54.7	17.5
41	1-2	2.3	1.6	2.4	1.6	0.4
	3	26.5	10.8	26.0	11.1	0.7
	4	16.0	8.6	15.9	8.7	0.4
	5	1.5	1.4	2.6	1.5	0.1
	6	*	0.1	0.1	0.1	*
	7	-	*	*	*	*
	TOTAL	46.3	22.5	47.0	23.0	1.7
51	1-2	*	*	*	*	*
	3	0.4	0.2	0.3	0.2	0.1
	4	1.0	0.3	0.5	0.3	*
	5	0.6	0.2	0.2	0.2	*
	6	-	*	*	*	*
	7	-	*	-	*	*
	TOTAL	2.0	0.7	1.1	0.8	0.2
61	1-2	-	*	-	*	*
	3	-	*	*	*	*
	4	*	*	-	*	*
	5	-	*	-	*	*
	6	-	*	-	*	*
	7	-	*	-	*	*
	TOTAL	*	*	*	*	*
71	1-2	-	-	-	-	*
	3	-	*	-	*	*
	4	-	*	-	*	*
	5	-	*	-	*	*
	6	-	-	-	-	*
	7	-	-	-	-	*
	TOTAL	-	*	-	*	*
12 & 22	1-2	-	0.1	*	0.1	0.6
	3	0.1	0.1	*	0.1	0.4
	4	*	*	-	*	*
	5	*	*	-	*	*
	6	-	*	-	*	*
	7	-	-	-	-	*
	TOTAL	0.1	0.2	*	0.2	1.1
32	1-2	*	0.9	*	0.9	0.3
	3	1.0	4.3	0.3	4.2	0.6
	4	0.7	2.1	0.1	2.0	0.2
	5	0.4	0.3	*	0.3	0.1
	6	-	*	-	*	*
	7	-	*	-	*	*
	TOTAL	1.7	7.6	0.5	7.5	1.2
42	1-2	*	0.2	0.1	0.2	0.1
	3	0.6	1.9	0.2	1.9	0.2
	4	0.7	2.3	0.2	2.2	0.1
	5	0.3	0.6	*	0.5	*
	6	0.4	*	-	*	*
	7	*	*	-	*	*
	TOTAL	1.7	5.0	0.3	4.9	0.4
52	1-2	-	*	-	*	*
	3	*	0.1	0.1	0.1	*
	4	0.1	0.2	0.1	0.2	*
	5	0.2	0.1	-	0.1	*
	6	*	*	-	*	*
	7	-	*	-	*	*
	TOTAL	0.4	0.4	0.2	0.4	0.1

Table 7. -- Continued.

		RAYVILLE			VISALIA	
Color	Leaf	Arkansas	Louisiana	Mississippi ^{1/}	Classing Office Total	California
62	1-2	-	■	-	■	*
	3	-	■	-	*	*
	4	*	■	-	■	■
	5	-	■	-	■	■
	6	-	■	-	■	■
	7	-	■	-	■	*
	TOTAL	*	■	-	*	*
13 & 23	1-2	-	■	-	■	■
	3	-	■	-	■	*
	4	-	-	-	-	*
	5	-	-	-	-	■
	6	-	-	-	-	-
	7	-	-	-	-	*
	TOTAL	-	■	-	*	0.1
33	1-2	-	*	■	*	0.1
	3	*	0.1	*	0.1	0.1
	4	-	*	-	■	■
	5	-	■	-	*	*
	6	-	■	-	■	■
	7	-	-	-	-	*
	TOTAL	■	0.1	*	0.1	0.2
43	1-2	-	*	*	*	*
	3	*	0.1	*	0.1	0.1
	4	*	0.1	*	0.1	■
	5	■	■	-	■	*
	6	-	*	-	■	■
	7	-	*	-	■	■
	TOTAL	0.1	0.3	*	0.3	0.1
53	1-2	-	■	■	*	*
	3	-	*	-	*	*
	4	*	*	*	*	■
	5	*	*	-	*	*
	6	-	*	-	*	*
	7	-	*	-	*	■
	TOTAL	*	0.1	*	0.1	*
63	1-2	-	*	-	*	*
	3	-	*	-	■	*
	4	-	*	-	■	■
	5	-	*	-	■	*
	6	-	*	-	■	■
	7	-	■	-	*	*
	TOTAL	-	■	-	*	*
24-54	1-7	-	■	*	*	0.1
25-35	1-7	-	*	-	■	*
81-85 1/	1-7	*	*	-	*	■
	8 2/	-	■	-	■	*
TOTAL, ALL		100.0	100.0	100.0	100.0	100.0
=====						
STAPLE						
28 & SHORTER		-	-	-	-	-
29		-	-	-	-	-
30		-	*	-	■	-
31		-	*	-	■	-
32		-	■	0.1	■	*
33		*	2.2	1.6	2.2	0.1
34		1.1	14.7	7.9	14.5	1.2
35		7.5	35.6	38.7	35.5	12.7
36		32.6	31.3	43.0	31.4	40.2
37		52.8	14.4	8.6	14.6	41.5
38 & LONGER		6.1	1.7	■	1.7	4.4
All staples		100.0	100.0	100.0	100.0	100.0
Average staple		36.6	35.5	35.5	35.5	36.4

1/ Below Color. 2/ Below Leaf. ■ Less than 0.05 percent.

Table 8. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 1997 crop.

		ABILENE			BIRMINGHAM			CORPUS CHRISTI
Mike and Fiber Strength		Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas
Mike	24 & below	0.1	*	*	*	-	*	-
	25	0.1	*	*	*	-	*	*
	26	0.1	*	*	*	-	*	*
	27	0.2	0.1	0.1	*	*	*	*
	28	0.3	0.1	0.1	0.1	*	*	*
	29	0.3	0.2	0.1	0.1	*	0.1	0.1
	30	0.6	0.4	0.3	0.2	*	0.1	0.1
	31	0.7	0.6	0.4	0.2	0.1	0.2	0.2
	32	1.0	1.0	0.7	0.6	0.2	0.6	0.4
	33	1.5	1.6	1.1	1.1	0.4	1.0	0.6
	34	1.7	2.3	1.6	1.4	0.6	1.3	1.0
	35	2.3	3.2	2.4	2.7	1.4	2.5	1.8
	36	3.4	4.3	3.3	3.6	2.3	3.4	2.3
	37	5.3	5.5	4.5	5.1	4.1	5.0	3.0
	38	7.0	6.5	5.8	7.9	8.1	8.0	4.2
	39	8.9	7.4	6.9	8.5	9.0	8.6	4.9
	40	10.2	7.8	7.8	10.7	12.7	11.0	5.4
	41	10.3	8.0	8.2	11.4	14.8	11.9	5.9
	42	10.1	8.0	8.3	11.3	14.0	11.7	6.6
	43	9.0	7.7	8.1	10.7	12.5	11.0	7.2
	44	7.5	7.1	7.6	7.9	8.6	8.0	7.2
	45	6.0	6.3	6.9	5.7	5.4	5.7	7.2
	46	4.2	5.3	5.9	4.3	3.2	4.1	7.5
	47	3.1	4.4	4.9	2.8	1.5	2.6	7.4
	48	2.1	3.6	4.1	1.8	0.7	1.7	7.1
	49	1.6	2.8	3.3	0.9	0.2	0.8	6.4
	50	0.9	2.2	2.5	0.4	*	0.3	5.5
	51	0.6	1.7	1.9	0.2	*	0.2	4.1
	52	0.4	1.1	1.5	0.1	*	0.1	1.8
	53	0.3	0.3	1.0	0.1	*	0.1	1.1
	54	0.1	0.2	0.3	*	*	*	0.5
	55	*	0.1	0.2	*	-	*	0.2
	56	*	*	0.1	-	-	-	*
	57	*	*	*	-	-	-	*
	58	*	*	*	*	-	*	*
	59	*	*	*	-	-	-	-
	60 & above	-	*	*	-	-	-	-
Average mike		41	43	42	42	41	41	44
Fiber Strength 1/								
	17 & below	-	-	-	-	-	-	-
	18	-	-	-	-	-	-	-
	19	-	-	-	*	-	*	-
	20	-	-	-	-	-	-	*
	21	*	*	*	-	-	-	*
	22	0.1	0.1	0.1	*	*	*	*
	23	0.3	0.3	0.3	0.1	*	0.1	0.2
	24	1.0	1.2	1.2	0.4	0.2	0.4	1.2
	25	2.7	3.0	3.0	1.9	1.2	1.8	4.7
	26	6.1	6.2	6.3	5.7	4.9	5.6	11.4
	27	12.1	10.9	11.2	13.3	14.2	13.4	20.2
	28	17.8	16.5	16.7	21.4	27.8	22.4	24.1
	29	19.7	20.1	20.0	23.4	26.9	23.9	19.1
	30	16.6	18.7	18.3	17.9	15.5	17.6	11.1
	31	11.2	12.7	12.4	10.3	6.5	9.7	5.0
	32	6.8	6.5	6.5	4.2	2.2	3.9	1.9
	33	3.6	2.8	2.9	1.1	0.6	1.0	0.7
	34	1.7	1.0	1.1	0.2	*	0.1	0.2
	35	0.2	0.1	0.2	*	*	*	0.1
	36 & above	0.1	0.1	0.1	*	*	*	*
Average strength		29.1	29.0	29.0	28.8	28.6	28.8	28.1

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 8. -- Continued.

DUMAS				FLORENCE				
Mike and Fiber Strength		Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
Mike	24 & below	*	*	*	-	-	-	-
	25	*	*	*	-	*	-	*
	26	*	*	*	-	*	-	*
	27	*	*	*	*	*	*	*
	28	0.1	0.1	0.1	*	*	*	*
	29	0.1	0.2	0.2	*	*	*	*
	30	0.1	0.3	0.2	*	0.1	*	*
	31	0.2	0.4	0.3	*	0.1	*	0.1
	32	0.3	0.6	0.5	0.1	0.1	*	0.1
	33	0.5	0.7	0.7	0.1	0.2	0.1	0.1
	34	0.7	0.8	0.8	0.2	0.2	0.1	0.2
	35	1.3	1.5	1.5	0.4	0.5	0.3	0.4
	36	1.7	1.9	1.8	0.6	0.7	0.8	0.6
	37	2.4	2.4	2.4	0.9	1.4	1.6	1.1
	38	3.2	3.2	3.2	1.4	2.5	2.8	1.8
	39	4.3	4.1	4.2	1.9	3.6	4.5	2.6
	40	5.5	5.2	5.3	3.1	6.0	7.3	4.2
	41	7.0	6.4	6.6	4.1	8.2	9.4	5.7
	42	8.4	7.4	7.7	5.2	10.1	11.0	7.0
	43	9.6	8.6	8.9	7.6	13.3	13.6	9.7
	44	10.0	9.1	9.4	8.5	13.1	12.0	10.0
	45	9.8	9.2	9.4	9.6	11.9	10.7	10.3
	46	9.3	8.9	9.0	10.8	10.2	9.2	10.5
	47	8.1	8.2	8.2	10.4	7.2	6.8	9.2
	48	6.4	6.9	6.7	10.9	5.3	5.1	8.9
	49	4.7	5.3	5.2	8.0	2.7	2.5	6.1
	50	3.0	3.7	3.5	6.1	1.5	1.2	4.4
	51	1.8	2.5	2.3	4.6	0.7	0.6	3.2
	52	1.0	1.6	1.4	2.7	0.3	0.3	1.8
	53	0.3	0.5	0.4	1.5	0.1	0.1	1.0
	54	0.2	0.2	0.2	0.9	*	*	0.6
	55	0.1	0.1	0.1	0.5	*	*	0.3
	56	*	*	*	0.1	*	-	*
	57	*	*	*	*	*	-	*
	58	*	*	*	*	*	-	*
	59	*	*	*	*	-	-	*
	60 & above	*	*	*	-	-	-	-
Average mike		44	44	44	46	44	43	45
Fiber Strength 1/ 17 & below		-	-	-	-	-	-	-
	18	-	-	-	-	-	-	-
	19	*	-	*	-	-	-	-
	20	*	*	*	*	*	*	*
	21	*	*	*	*	*	*	*
	22	*	*	*	*	*	*	*
	23	0.1	0.1	0.1	0.1	*	0.1	0.1
	24	0.3	0.3	0.3	1.3	0.5	1.4	1.1
	25	1.1	1.2	1.2	6.8	2.5	8.5	5.8
	26	4.2	4.4	4.4	17.2	8.2	22.8	15.3
	27	13.4	13.2	13.2	24.3	18.0	30.2	23.2
	28	25.9	25.5	25.6	21.3	24.5	21.7	22.2
	29	25.1	26.2	25.8	14.2	21.5	9.7	15.8
	30	16.5	16.3	16.3	8.3	14.4	3.5	9.5
	31	8.5	8.0	8.2	4.1	7.1	1.3	4.7
	32	3.7	3.6	3.6	1.7	2.5	0.5	1.8
	33	1.1	1.0	1.1	0.5	0.7	0.1	0.5
	34	0.1	0.1	0.1	0.1	0.1	*	0.1
	35	*	*	*	*	*	*	*
	36 & above	*	*	*	*	*	*	*
Average strength		28.8	28.8	28.8	27.7	28.4	27.2	27.8

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 8. -- Continued.

		HAYTI			LAMESA	LUBBOCK			MACON		
Mike and Fiber Strength		Arkansas	Missouri	Classing Office Total	Texas	New Mexico	Texas	Classing Office Total	Florida	Georgia	Classing Office Total
Mike	24 & below	-	-	-	*	-	*	*	-	*	*
	25	*	*	*	*	-	*	*	-	*	*
	26	0.1	0.1	0.1	0.1	0.3	0.1	0.1	-	*	*
	27	0.1	0.1	0.1	0.1	0.5	0.2	0.2	-	*	*
	28	0.2	0.2	0.2	0.2	2.9	0.5	0.5	-	*	*
	29	0.3	0.2	0.2	0.3	3.8	0.8	0.8	-	*	*
	30	0.3	0.2	0.3	0.8	3.8	1.4	1.4	-	*	*
	31	0.4	0.2	0.3	1.2	6.1	2.1	2.2	-	*	*
	32	0.5	0.4	0.4	1.7	7.2	3.0	3.0	*	0.1	0.1
	33	0.6	0.5	0.5	2.6	10.0	4.0	4.0	*	0.1	0.1
	34	0.9	0.6	0.7	3.4	13.1	5.0	5.0	0.2	0.4	0.4
	35	1.1	1.0	1.0	4.4	12.2	6.1	6.1	0.3	0.7	0.7
	36	1.7	1.3	1.4	5.4	9.9	7.1	7.1	0.8	1.2	1.2
	37	2.6	2.3	2.4	6.3	9.3	8.1	8.1	1.6	2.1	2.1
	38	4.0	3.7	3.8	6.9	6.1	9.1	9.1	2.9	3.2	3.2
	39	4.8	4.9	4.9	7.6	6.4	9.7	9.7	4.6	4.5	4.5
	40	5.8	6.1	6.0	8.2	4.2	9.7	9.7	6.8	6.1	6.1
	41	6.1	7.0	6.8	8.7	2.5	8.9	8.9	10.3	7.5	7.5
	42	6.9	8.2	7.8	8.4	1.1	7.6	7.6	13.4	8.9	8.9
	43	7.9	8.9	8.6	8.1	0.4	5.9	5.9	13.8	10.1	10.1
	44	8.1	9.3	9.0	7.4	-	4.3	4.3	13.1	10.5	10.6
	45	7.9	9.2	8.9	6.5	-	2.8	2.8	10.6	10.4	10.4
	46	7.6	8.4	8.2	5.1	-	1.7	1.7	7.4	9.6	9.5
	47	6.6	7.4	7.2	3.4	0.1	1.0	1.0	4.4	8.2	8.2
	48	6.4	6.1	6.2	2.0	-	0.5	0.5	3.1	6.6	6.5
	49	5.9	4.8	5.1	0.9	-	0.2	0.2	2.7	4.7	4.6
	50	4.8	3.6	3.9	0.3	-	0.1	0.1	2.2	2.8	2.8
	51	3.6	2.6	2.9	*	-	*	*	1.2	1.4	1.4
	52	2.3	1.5	1.7	*	-	*	*	0.4	0.7	0.7
	53	1.4	0.8	0.9	*	-	*	*	0.1	0.1	0.1
	54	0.7	0.4	0.5	*	-	*	*	*	0.1	0.1
	55	0.2	0.1	0.1	*	-	-	-	*	*	*
	56	-	-	-	*	-	-	-	*	*	*
	57	-	-	-	*	-	-	-	-	*	*
	58	-	-	-	-	-	-	-	-	-	-
	59	-	-	-	-	-	-	-	-	-	-
	60 & above	*	*	*	-	-	-	-	-	*	*
Average mike		44	44	44	40	35	39	39	43	44	44
Fiber Strength 1/ 17 & below		-	-	-	*	-	-	-	-	*	*
	18	-	-	-	*	-	-	-	-	*	*
	19	-	-	-	*	-	-	-	-	*	*
	20	-	*	*	*	-	*	*	-	*	*
	21	*	*	*	*	-	*	*	*	*	*
	22	*	*	*	*	-	*	*	0.1	0.1	0.1
	23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.4	0.4
	24	0.9	0.7	0.7	0.3	1.4	0.6	0.6	1.5	1.9	1.9
	25	3.9	3.1	3.3	1.0	3.9	2.3	2.3	5.0	6.1	6.1
	26	9.9	8.2	8.7	3.1	16.5	5.3	5.3	11.0	12.8	12.8
	27	17.6	16.4	16.7	7.9	24.9	9.6	9.7	17.5	18.4	18.3
	28	21.9	22.8	22.5	15.7	23.1	15.4	15.4	21.2	19.6	19.6
	29	18.8	21.8	21.0	23.4	16.8	22.1	22.1	20.1	17.5	17.5
	30	13.6	14.4	14.2	24.0	9.3	22.7	22.7	14.3	12.9	12.9
	31	7.6	7.5	7.6	15.5	3.4	14.1	14.1	6.6	6.7	6.7
	32	3.5	3.3	3.4	6.3	0.4	5.8	5.7	1.9	2.5	2.5
	33	1.6	1.3	1.4	2.0	-	1.6	1.6	0.4	0.8	0.8
	34	0.5	0.4	0.4	0.6	0.1	0.2	0.2	*	0.2	0.2
	35	0.1	0.1	0.1	0.2	-	*	*	-	*	*
	36 & above	*	*	*	0.1	-	*	*	-	*	*
Average strength		28.4	28.5	28.5	29.4	27.7	29.1	29.1	28.2	28.1	28.1

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 8. -- Continued.

MEMPHIS					PHOENIX					
Mike and Fiber Strength		Arkansas	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
Mike	24 & below	*	*	*	*	0.1	0.3	0.1	-	0.1
	25	*	*	*	*	0.2	0.1	0.1	*	0.1
	26	*	0.3	0.1	0.1	0.2	0.1	0.2	*	0.2
	27	0.1	0.5	0.1	0.1	0.3	*	0.2	0.1	0.2
	28	0.1	0.8	0.2	0.2	0.3	0.1	0.3	0.1	0.2
	29	0.2	1.2	0.3	0.3	0.3	0.1	0.5	0.2	0.3
	30	0.2	1.5	0.4	0.4	0.3	0.3	0.9	0.8	0.4
	31	0.2	1.8	0.5	0.5	0.4	0.2	1.3	0.4	0.4
	32	0.3	2.4	0.6	0.6	0.4	0.5	2.0	0.6	0.5
	33	0.4	3.2	0.7	0.8	0.5	0.4	3.5	1.0	0.7
	34	0.4	3.8	0.7	0.9	0.5	0.6	4.1	1.2	0.8
	35	0.9	7.2	1.4	1.7	0.7	0.6	7.2	1.5	1.1
	36	1.2	7.3	1.7	1.9	0.9	0.9	8.4	1.9	1.4
	37	1.7	7.7	2.3	2.5	1.1	0.9	9.1	3.5	1.7
	38	2.7	8.2	3.0	3.3	1.6	1.0	11.1	6.0	2.3
	39	3.9	8.5	4.1	4.4	2.1	1.3	11.8	11.8	2.9
	40	5.1	8.0	5.4	5.5	3.0	2.1	10.5	14.1	3.6
	41	6.4	7.7	6.8	6.7	4.0	2.6	8.6	14.7	4.4
	42	7.5	7.0	8.3	7.8	4.7	3.6	6.9	13.1	4.9
	43	8.4	6.0	9.7	8.7	5.5	5.4	4.6	12.7	5.5
	44	9.0	5.1	10.6	9.3	6.2	7.2	3.5	7.7	6.1
	45	9.5	3.9	10.4	9.4	7.2	9.8	2.1	3.8	7.0
	46	9.2	3.0	9.1	8.6	8.3	11.0	1.4	1.7	7.9
	47	8.4	2.2	7.6	7.5	9.6	12.8	0.7	1.4	9.1
	48	7.3	1.4	5.9	6.2	9.9	14.2	0.4	0.8	9.4
	49	5.8	0.7	4.2	4.7	9.6	10.2	0.2	0.3	8.8
	50	4.3	0.4	2.8	3.3	8.6	5.9	0.1	0.1	7.7
	51	2.9	0.2	1.6	2.1	6.3	4.0	0.1	0.1	5.6
	52	2.0	0.1	0.9	1.3	4.1	2.3	*	0.1	3.6
	53	1.3	0.1	0.4	0.8	2.2	0.9	*	*	1.9
	54	0.5	*	0.1	0.3	0.6	0.4	*	*	0.6
	55	0.2	*	*	0.1	0.3	*	*	*	0.2
	56	*	*	*	*	0.1	*	*	*	0.1
	57	*	-	-	*	*	-	-	-	*
	58	-	-	-	-	*	*	-	-	*
	59	-	-	-	-	*	*	-	-	*
	60 & above	-	-	-	-	*	*	-	-	*
Average mike		44	39	43	44	46	46	38	41	45
Fiber Strength 1/										
	17 & below	-	-	-	-	-	-	-	-	-
	18	-	-	-	-	*	-	-	-	*
	19	-	-	-	-	*	-	-	-	*
	20	*	*	*	*	*	*	-	-	*
	21	*	*	*	*	*	*	*	*	*
	22	*	*	*	*	0.1	*	*	*	0.1
	23	*	*	*	*	0.5	0.1	*	*	0.4
	24	0.1	0.3	0.2	0.2	2.0	0.5	0.1	0.2	1.7
	25	0.7	1.6	1.4	1.1	6.6	2.0	0.8	1.3	5.8
	26	3.2	5.7	5.8	4.5	14.3	6.3	3.4	4.5	12.7
	27	12.3	15.3	16.6	14.4	21.8	18.9	8.2	12.2	20.4
	28	30.3	26.4	28.1	29.0	24.8	35.7	13.2	27.7	24.9
	29	32.0	27.2	27.1	29.5	16.8	26.1	18.2	32.0	17.9
	30	14.8	15.9	14.9	15.0	8.1	8.5	19.4	14.8	9.1
	31	4.7	5.7	4.8	4.9	3.1	1.5	18.0	5.6	4.1
	32	1.4	1.5	1.0	1.2	1.1	0.3	11.9	1.3	1.8
	33	0.2	0.2	0.1	0.2	0.4	0.1	5.4	0.3	0.8
	34	0.1	*	*	0.1	0.1	*	1.1	0.1	0.2
	35	*	*	*	*	*	*	0.2	*	*
	36 & above	*	*	*	*	*	*	0.1	*	*
Average strength		28.6	28.5	28.4	28.5	27.7	28.1	29.8	28.6	27.9

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 8. -- Continued.

RAYVILLE					VISALIA		
Mike and Fiber Strength		Arkansas	Louisiana	Mississippi	Classing Office Total	California	United States
Mike	24 & below	-	*	-	*	*	*
	25	*	*	-	*	*	*
	26	*	*	-	*	*	*
	27	0.1	*	-	*	*	0.1
	28	0.2	*	-	*	*	0.1
	29	0.3	*	*	*	*	0.2
	30	0.2	*	-	*	0.1	0.4
	31	0.4	*	-	*	0.1	0.6
	32	0.3	0.1	*	0.1	0.2	0.8
	33	0.6	0.1	0.1	0.1	0.2	1.1
	34	1.0	0.2	0.5	0.2	0.3	1.4
	35	2.0	0.3	1.3	0.3	0.9	2.1
	36	2.4	0.4	1.9	0.4	1.4	2.6
	37	3.5	0.6	3.6	0.6	2.4	3.4
	38	3.8	1.0	5.0	1.1	3.9	4.4
	39	3.8	1.3	5.7	1.4	6.4	5.5
	40	5.1	2.3	8.8	2.4	9.4	6.7
	41	5.1	3.4	9.6	3.5	12.4	7.7
	42	5.2	4.9	8.7	4.9	14.6	8.4
	43	7.1	7.5	10.3	7.5	14.6	8.9
	44	7.4	8.6	9.6	8.6	12.0	8.5
	45	8.2	9.5	9.3	9.5	8.1	7.8
	46	7.8	11.0	8.7	11.0	4.8	7.0
	47	7.9	11.3	6.3	11.2	3.1	6.1
	48	8.0	11.7	5.0	11.6	2.3	5.3
	49	6.3	8.8	2.2	8.7	1.6	4.0
	50	4.6	6.3	1.5	6.2	0.6	2.8
	51	4.8	5.1	1.2	5.0	0.3	1.9
	52	2.3	3.0	0.5	3.0	0.1	1.2
	53	0.9	1.4	0.1	1.4	0.1	0.6
	54	0.4	0.8	*	0.7	*	0.2
	55	0.2	0.4	-	0.4	*	0.1
	56	*	0.1	-	0.1	*	*
	57	-	*	-	*	*	*
	58	-	-	-	-	*	*
	59	-	-	-	-	-	*
	60 & above	-	-	-	-	-	*
Average mike		44	46	43	46	42	43
Fiber Strength 1/ 17 & below		-	-	-	-	-	*
	18	-	*	-	*	-	*
	19	-	*	-	*	-	*
	20	-	*	-	*	-	*
	21	*	*	-	*	-	*
	22	*	*	*	*	-	*
	23	*	0.1	*	0.1	*	0.1
	24	0.3	0.3	0.1	0.3	*	0.7
	25	1.0	1.1	0.4	1.1	*	2.7
	26	3.3	4.2	2.0	4.2	0.2	6.9
	27	6.2	12.4	8.3	12.3	0.3	13.1
	28	12.1	23.6	23.3	23.5	1.1	19.3
	29	21.3	24.8	32.2	24.9	3.9	20.0
	30	25.0	16.7	23.0	16.9	12.2	15.6
	31	18.7	9.6	8.3	9.7	25.6	10.6
	32	8.8	5.2	2.0	5.2	27.9	6.3
	33	2.9	1.7	0.3	1.7	17.6	3.0
	34	0.4	0.2	*	0.2	7.4	1.0
	35	0.1	0.1	-	0.1	2.7	0.3
	36 & above	*	*	*	*	1.1	0.1
Average strength		29.6	28.9	29.0	28.9	31.8	28.9

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 9. -- Percentage distribution of uniformity and trash for upland cotton classed, by classing office, 1997 crop.

Uniformity and Trash	ABILENE			BIRMINGHAM			CORPUS CHRISTI
	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas
Uniformity 1/							
72 & below	*	■	■	-	-	-	-
73	*	■	■	-	-	-	-
74	■	■	*	-	-	-	-
75	*	*	*	*	*	*	■
76	0.1	0.2	0.2	*	*	*	■
77	0.5	1.2	1.1	0.3	0.2	0.3	■
78	2.2	6.1	5.5	2.1	1.0	1.9	0.7
79	7.0	16.8	15.3	8.0	5.2	7.6	4.1
80	17.9	26.2	25.0	20.9	20.5	20.8	14.6
81	28.5	25.1	25.6	30.7	38.5	31.9	29.5
82	25.1	15.5	16.9	24.3	26.4	24.6	32.1
83	13.2	6.4	7.4	11.1	7.1	10.5	15.9
84	4.3	1.9	2.3	2.4	0.9	2.2	3.0
85	0.9	0.4	0.5	0.1	*	0.1	0.2
86	0.2	0.1	0.1	*	-	■	-
87	■	■	■	■	-	*	-
88	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-
Average uniformity	81.3	80.5	80.6	81.1	81.1	81.1	81.1
Trash 2/							
00	0.2	3.0	2.6	*	*	*	1.1
01	8.1	27.5	24.4	3.5	1.5	3.2	31.5
02	20.3	24.2	23.5	14.6	7.1	13.5	34.6
03	21.3	16.0	16.8	22.5	14.3	21.3	18.3
04	16.0	10.2	11.1	21.5	19.6	21.2	7.8
05	10.6	6.4	7.1	16.0	20.2	16.6	3.4
06	6.8	4.1	4.5	10.3	16.1	11.2	1.6
07	4.4	2.7	3.0	6.6	11.6	7.4	0.8
08	2.9	1.8	2.0	2.5	4.7	2.9	0.4
09	2.1	1.2	1.4	1.5	2.9	1.7	0.2
10	1.6	0.8	1.0	0.5	1.0	0.5	0.1
11	1.3	0.6	0.7	0.3	0.6	0.4	■
12	0.9	0.4	0.5	0.1	0.3	0.2	■
13	0.8	0.3	0.4	■	0.1	*	*
14	0.7	0.2	0.3	*	*	*	*
15	0.5	0.1	0.2	■	*	*	■
16	0.3	0.1	0.1	*	*	*	*
17	0.2	0.1	0.1	*	*	■	*
18 & above	1.2	0.2	0.4	*	*	*	*
Average trash	0.45	0.30	0.33	0.42	0.50	0.43	0.23

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 9. -- Continued.

Uniformity and Trash	DUMAS			FLORENCE			
	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
Uniformity 1/ 72 & below	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-
74	-	*	*	-	-	-	-
75	-	*	*	-	-	-	-
76	*	*	*	*	*	*	*
77	*	*	*	*	*	*	*
78	0.1	0.2	0.2	0.5	0.6	0.3	0.5
79	1.1	1.3	1.3	3.9	4.2	2.8	3.9
80	5.7	6.5	6.3	15.6	15.5	12.6	15.3
81	21.7	21.7	21.7	32.5	34.1	31.2	32.8
82	39.8	40.2	40.1	31.2	31.7	34.6	31.6
83	24.1	24.3	24.2	13.6	11.8	15.4	13.3
84	6.6	5.4	5.7	2.6	2.0	2.8	2.4
85	0.8	0.5	0.6	0.2	0.1	0.2	0.2
86	*	*	*	-	-	-	-
87	*	*	*	-	-	-	-
88	*	*	*	-	-	-	-
89	-	*	*	-	-	-	-
90 & above	*	*	*	-	-	-	-
Average uniformity	82.0	82.0	82.0	81.4	81.4	81.6	81.4
Trash 2/							
00	*	*	*	*	0.1	*	0.1
01	1.6	3.4	2.9	4.1	3.8	2.7	3.9
02	11.2	17.0	15.3	18.0	15.1	15.0	16.9
03	22.4	25.6	24.7	25.4	22.5	26.1	24.7
04	23.4	22.0	22.4	21.2	21.1	23.8	21.4
05	17.6	14.5	15.4	13.8	15.3	15.4	14.4
06	10.7	8.1	8.8	8.0	9.6	8.4	8.5
07	6.1	4.4	4.9	4.3	5.6	4.2	4.6
08	3.3	2.3	2.6	2.3	3.1	2.2	2.5
09	1.8	1.2	1.4	1.3	1.8	1.1	1.4
10	0.9	0.7	0.7	0.7	1.0	0.6	0.8
11	0.5	0.4	0.4	0.4	0.5	0.3	0.4
12	0.3	0.2	0.2	0.2	0.4	0.2	0.3
13	0.1	0.1	0.1	*	*	*	*
14	0.1	0.1	0.1	*	*	*	*
15	*	*	*	*	*	*	*
16	*	*	*	*	*	*	*
17	*	*	*	*	*	*	*
18 & above	*	*	*	*	*	*	*
Average trash	0.44	0.40	0.41	0.39	0.42	0.40	0.40

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 9. -- Continued.

	HAYTI			LAMESA	LUBBOCK			MACON		
Uniformity and Trash	Arkansas	Missouri	Classing Office Total	Texas	New Mexico	Texas	Classing Office Total	Florida	Georgia	Classing Office Total
Uniformity 1/ 72 & below	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-
74	-	-	-	*	-	-	-	-	*	*
75	*	*	*	*	-	*	*	-	*	*
76	*	*	*	0.1	0.1	*	*	-	*	*
77	0.2	0.2	0.2	0.3	1.5	0.2	0.2	*	*	*
78	0.8	0.8	0.8	1.8	14.0	1.7	1.7	0.8	1.0	1.0
79	2.7	2.7	2.7	8.2	30.7	8.1	8.1	8.0	6.7	6.7
80	7.9	9.2	8.9	23.9	36.3	22.4	22.4	28.1	22.3	22.3
81	19.3	21.5	20.9	37.4	13.7	34.4	34.4	38.2	36.9	36.9
82	29.3	30.3	30.0	23.1	3.0	24.8	24.8	20.2	25.7	25.7
83	24.8	22.9	23.4	4.8	0.5	7.1	7.1	4.4	6.7	6.7
84	11.9	9.9	10.4	0.4	-	1.1	1.1	0.4	0.7	0.7
85	2.9	2.4	2.5	*	-	0.1	0.1	-	*	*
86	0.2	0.1	0.2	*	-	*	*	-	*	*
87	*	*	*	-	-	*	*	-	*	*
88	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	*	*
90 & above	-	-	-	-	-	-	-	-	-	-
Average uniformity	82.1	82.0	82.0	80.9	79.6	81.0	81.0	80.8	81.0	81.0
Trash 2/										
00	*	*	*	0.3	-	0.4	0.4	-	*	*
01	2.6	3.1	3.0	12.4	1.9	9.0	9.0	0.9	0.4	0.4
02	10.9	12.3	12.0	27.3	15.2	19.8	19.8	14.0	4.7	4.8
03	17.3	18.9	18.5	24.0	17.7	20.9	20.9	29.7	16.4	16.5
04	18.2	19.2	18.9	15.3	15.8	16.7	16.7	28.4	26.1	26.2
05	15.5	15.6	15.6	8.8	18.0	11.7	11.7	16.3	23.8	23.7
06	11.7	11.2	11.3	4.9	13.3	7.6	7.6	6.7	14.7	14.6
07	8.3	7.6	7.8	2.8	6.0	4.8	4.8	2.5	7.5	7.5
08	5.7	4.9	5.2	1.7	3.8	3.1	3.1	0.9	3.6	3.5
09	3.8	3.0	3.2	1.0	2.7	2.0	2.0	0.3	1.8	1.7
10	2.6	1.9	2.1	0.6	1.8	1.3	1.3	0.2	0.9	0.9
11	1.6	1.1	1.2	0.3	0.8	0.8	0.8	*	0.1	0.1
12	1.1	0.7	0.8	0.2	1.1	0.6	0.6	*	0.1	0.1
13	0.4	0.2	0.3	0.1	0.5	0.4	0.4	*	*	*
14	0.1	0.1	0.1	0.1	0.6	0.3	0.3	*	*	*
15	0.1	*	*	*	0.4	0.2	0.2	-	*	*
16	*	*	*	*	0.1	0.1	0.1	*	*	*
17	*	*	*	*	-	0.1	0.1	*	*	*
18 & above	0.1	*	0.1	*	0.3	0.2	0.2	*	*	*
Average trash	0.50	0.47	0.48	0.33	0.48	0.41	0.41	0.38	0.48	0.48

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 9. -- Continued.

Uniformity and Trash	MEMPHIS				PHOENIX				
	Arkansas	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
Uniformity 1/ 72 & below	-	-	-	-	*	-	-	-	*
73	-	-	-	-	*	-	-	-	*
74	-	-	-	-	*	*	-	-	*
75	-	-	-	-	0.1	*	*	*	*
76	-	-	-	-	0.2	*	*	*	0.2
77	*	0.1	*	*	1.1	0.1	0.1	0.6	1.0
78	0.1	0.8	0.2	0.2	3.7	0.8	1.4	3.7	3.3
79	0.9	4.0	1.3	1.4	11.8	3.9	6.8	24.3	11.1
80	4.4	14.0	6.1	6.0	28.9	20.4	16.0	48.4	27.7
81	18.6	28.2	18.9	19.6	33.3	47.8	23.5	15.9	33.5
82	41.6	32.1	33.7	37.4	16.4	24.8	26.8	5.5	17.6
83	28.4	16.7	28.5	27.4	3.9	2.0	19.2	1.4	4.8
84	5.7	3.8	10.0	7.3	0.4	0.1	5.4	0.2	0.8
85	0.4	0.3	1.2	0.7	*	*	0.7	-	0.1
86	*	*	*	*	*	-	*	-	*
87	-	-	*	*	-	-	*	-	*
88	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	82.1	81.5	81.3	82.1	80.6	81.0	81.5	80.0	80.7
Trash 2/									
00	*	-	*	*	7.8	12.6	4.1	13.7	8.0
01	0.6	0.4	1.7	1.0	36.6	49.4	31.6	57.4	37.6
02	6.6	5.7	12.8	9.1	26.6	23.7	29.1	19.0	26.4
03	17.9	15.6	24.8	20.5	13.2	8.3	16.6	4.8	12.9
04	23.9	22.3	24.4	24.0	6.6	3.4	9.0	2.2	6.5
05	20.6	20.3	16.8	19.0	3.7	1.6	4.9	1.6	3.6
06	13.5	14.6	9.3	11.9	2.2	0.7	2.8	0.7	2.1
07	7.7	9.0	4.8	6.6	1.1	0.2	1.0	0.2	1.0
08	4.1	5.1	2.4	3.5	0.7	0.1	0.4	0.1	0.6
09	2.2	2.9	1.3	1.9	0.5	*	0.3	0.1	0.4
10	1.2	1.7	0.7	1.0	0.3	*	0.1	0.1	0.2
11	0.7	1.0	0.4	0.6	0.2	*	0.1	*	0.2
12	0.4	0.6	0.2	0.3	0.1	*	0.1	*	0.1
13	0.2	0.3	0.1	0.2	0.1	*	*	-	0.1
14	0.1	0.2	0.1	0.1	0.1	-	*	*	0.1
15	0.1	0.1	*	0.1	*	*	*	*	*
16	*	*	*	*	*	*	*	*	*
17	*	*	*	*	*	*	*	*	*
18 & above	*	*	*	*	0.1	*	*	*	*
Average trash	0.49	0.51	0.42	0.46	0.22	0.15	0.23	0.14	0.21

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 9. -- Continued.

Uniformity and Trash	RAYVILLE				VISALIA	
	Arkansas	Louisiana	Mississippi	Classing Office Total	California	United States
Uniformity 1/ 72 & below	-	-	-	-	-	*
73	-	-	-	-	-	*
74	-	*	-	*	*	*
75	-	*	-	*	*	*
76	*	*	*	*	*	*
77	*	0.1	0.1	0.1	*	0.2
78	0.3	0.4	0.3	0.4	0.1	1.2
79	1.2	2.3	2.0	2.3	0.3	5.2
80	5.9	10.3	10.3	10.3	2.1	15.0
81	19.9	28.1	31.2	28.1	14.9	27.7
82	36.6	35.4	38.1	35.5	44.6	30.8
83	27.4	18.6	15.5	18.6	30.3	15.7
84	7.7	4.4	2.4	4.4	6.9	3.7
85	0.9	0.5	0.1	0.5	0.7	0.4
86	*	*	*	*	0.1	*
87	-	*	-	*	*	*
88	-	-	-	-	*	*
89	-	-	-	-	-	*
90 & above	-	-	-	-	-	-
Average uniformity	82.1	81.7	81.6	81.7	82.3	81.4
Trash 2/						
00	*	0.5	-	0.5	0.1	0.8
01	2.9	11.3	3.3	11.2	19.6	10.5
02	13.1	23.0	16.4	22.9	43.1	20.0
03	22.3	22.5	24.0	22.5	23.5	20.8
04	21.4	16.5	21.2	16.6	8.7	17.5
05	15.6	10.7	15.3	10.8	3.0	12.5
06	10.4	6.6	9.0	6.6	1.1	7.6
07	6.4	3.8	4.8	3.9	0.5	4.4
08	4.0	2.3	2.8	2.3	0.1	2.4
09	2.1	1.4	1.8	1.4	0.1	1.4
10	1.4	0.9	1.0	0.9	*	0.8
11	0.2	0.1	0.1	0.1	*	0.4
12	0.2	0.1	0.1	0.1	*	0.3
13	0.1	0.1	*	0.1	*	0.1
14	*	*	*	*	*	0.1
15	-	*	-	*	*	0.1
16	*	*	-	*	*	*
17	*	*	-	*	*	*
18 & above	-	*	-	*	*	0.1
Average trash	0.44	0.36	0.41	0.36	0.24	0.38

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 10. -- Percentage distribution of grade, staple, mike and strength for American Pima cotton classed, by states and United States, 1997 crop.

Grade, staple and mike	State								United States	
	Arizona		California		New Mexico		Texas			
Grade	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.
01	1,581	3.8	35,463	10.4	10	0.1	531	0.9	37,585	8.4
02	25,104	60.2	258,747	76.0	6,084	58.5	44,235	77.0	334,170	74.3
03	11,699	28.1	39,006	11.5	3,936	37.8	11,221	19.5	65,862	14.6
04	1,995	4.8	5,093	1.5	283	2.7	1,140	2.0	8,511	1.9
05	923	2.2	1,540	0.5	59	0.6	246	0.4	2,768	0.6
06	355	0.9	395	0.1	30	0.3	46	0.1	826	0.2
07	33	0.1	171	0.1	4	*	1	*	209	*
All grades	41,690		340,415		10,406		57,420		449,931	100.0
Staple										
40 and shorter	3	*	4	*	2	*	12	*	21	*
42	21	0.1	69	*	13	0.1	90	0.2	193	*
44	6,419	15.4	43,596	12.8	4,008	38.5	20,384	35.5	74,407	16.5
46	28,820	69.1	261,622	76.9	5,499	52.8	35,234	61.4	331,175	73.6
48 and longer	6,427	15.4	35,124	10.3	884	8.5	1,700	3.0	44,135	9.8
Average staple		46.0		45.9		45.4		45.3		45.7
Mike										
24 and below	0	—	4	*	0	—	0	—	4	*
25—26	0	—	59	*	1	*	0	—	60	*
27—29	74	0.2	1,091	0.3	44	0.4	44	0.1	1,253	0.3
30—32	757	1.8	6,660	2.0	163	1.6	838	1.5	8,418	1.9
33—34	1,345	3.2	7,134	2.1	314	3.0	1,590	2.8	10,383	2.3
35—36	4,024	9.7	15,368	4.5	661	6.4	2,544	4.4	22,597	5.0
37—42	33,962	81.5	263,128	77.3	7,140	68.6	42,085	73.3	346,315	77.0
43—49	1,527	3.7	46,971	13.8	2,082	20.0	10,315	18.0	60,895	13.5
50—52	1	*	0	—	1	*	2	*	4	*
53 and above	0	—	0	—	0	—	2	*	2	*
Average mike		39		40		40		40		40
Strength										
17 & below	0	—	0	—	0	—	0	—	0	—
18	0	—	0	—	0	—	0	—	0	—
19	0	—	0	—	0	—	0	—	0	—
20	0	—	0	—	0	—	0	—	0	—
21	0	—	0	—	0	—	0	—	0	—
22	0	—	0	—	0	—	0	—	0	—
23	0	—	0	—	0	—	0	—	0	—
24	0	—	0	—	0	—	0	—	0	—
25	0	—	0	—	0	—	0	—	0	—
26	0	—	0	—	0	—	0	—	0	—
27	0	—	0	—	0	—	3	*	3	*
28	1	*	3	*	0	—	1	*	5	*
29	2	*	6	*	0	—	1	*	9	*
30	10	*	6	*	1	*	14	*	31	*
31	65	0.2	23	*	5	*	41	0.1	134	*
32	121	0.3	57	*	25	0.2	127	0.2	330	0.1
33	472	1.1	440	0.1	132	1.3	528	0.9	1572	0.3
34	1234	3.0	1640	0.5	468	4.5	1579	2.7	4921	1.1
35	2600	6.2	4214	1.2	960	9.2	4476	7.8	12250	2.7
36	5509	13.2	10090	3.0	1508	14.5	10310	18.0	27417	6.1
37	7545	18.1	23043	6.8	1959	18.8	15733	27.4	48280	10.7
38	7856	18.8	48110	14.1	1854	17.8	12450	21.7	70270	15.6
39	6976	16.7	70996	20.9	1451	13.9	6602	11.5	86025	19.1
40 & above	9299	22.3	181787	53.4	2043	19.6	5555	9.7	198684	44.2
Average strength		37.8		39.1		37.5		37.3		37.9
Extraneous matter	2,209	5.3	53,406	15.7	595	5.7	3,378	5.9	59,588	13.2

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.